

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Pacific Plywood Corporation  
(Name of applicant)  
of Willamina, County of Yamhill  
(Post office)  
State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation State of Oregon,  
March 9, 1939.

1. The name of the proposed reservoir is Pacific Plywood Corporation Log Pond.
2. The name of the stream from which the reservoir is to be filled and the appropriation made is  
Willamina River  
tributary of Yamhill River
3. The amount of water to be stored is 208 acre feet.
4. The use to be made of the impounded water is Plywood Plant storage log pond.  
(Irrigation, power, domestic supply, etc.)
5. The location of the proposed reservoir will be in Sec. 1 & 6, a part being in T. 6 S.,  
(Give sections or townships to be submerged)  
R. 6 W. and a part in T. 6 S., R. 7 W.,  
(a) State whether situated in channel of running stream and give character of material at outlet  
Not located in channel of running stream. Outlets are through corrugated  
iron pipes below the dikes. Materials at outlet is 1' to 2' of black dirt  
above packed red clay.  
(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions Pond is to be filled by a 10" Worthington centrifugal pump.

pond a part in each of NE $\frac{1}{4}$  of SE $\frac{1}{4}$ ; SE $\frac{1}{4}$  of SE $\frac{1}{4}$ , Sec. 1  
6. The ~~dike~~ will be located in and NW $\frac{1}{4}$  of SW $\frac{1}{4}$  & SW $\frac{1}{4}$  of SW $\frac{1}{4}$ , Sec. 6  
(Smallest legal subdivision)  
Dikes  
Tp. 6 S., R. 6 & 7 W., W. M. ~~It~~ will be 10' to 15' feet in height,  
(No. N. or S.) (No. E. or W.)

perimeter  
 having a ~~length~~ on top of dike - 5019' feet; length on bottom .....  
 ..... feet; width on top of dike - 12' feet slope of front or water side 2 to 1  
 (Feet horizontal to 1 vertical)  
 slope on back  $1\frac{1}{2}$  to 1 .....; height of dam above water line when full  
 (Feet horizontal to 1 vertical)  
 ..... 2' feet.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Dikes to be constructed of red clay, compacted in 4" horizontal layers. Constructed with a 2 to 1 slope on water side. Piling to be placed along inside slope with raft poles tied along waters surface to prevent wave action.

8. The location of wasteway with dimensions are as follows: The only wasteway will be an 8" corrugated iron overflow pipe through the dike at water level and located at the North East corner. Overflow water will waste into the Willamina River.  
 (State whether over or around the dam)

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Outlets are to be 2-18" Corr. Iron pipes passing beneath the dikes. One located at the North end of the pond, the other at the South East corner of pond. Both to have cast iron screw lift headgates.  
 (State whether through or around the proposed dam)

10. The area submerged by the proposed ~~reservoir~~ log pond, when full, will be 26 acres, with a maximum depth of water of 13' feet; and approximate mean depth of water 8' feet.

11. The estimated cost of the proposed work is \$ 10,000.00

12. Construction work will begin on or before April 23, 1941 - Completed

13. Construction work will be completed on or before June 17, 1941

Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the State Water Board, accompany this application.

Pacific Plywood Corp.  
 (Name of applicant)

Arnold Beentouwen, manager

Signed in the presence of us as witnesses:

(1) Clair C. Meisel, Sheridan, Oregon  
 (Name) (Address of witness)

(2) A. A. Anderson, Sheridan, Oregon  
 (Name) (Address of witness)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion as follows: .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

State Engineer

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of a reservoir and the storage of water from Willamina River to be appropriated under Application No. 19368, Permit No. 15022, for maintenance of log pond and manufacturing purposes.  
The right hereunder shall be limited to the storage of ..... 208 ..... acre feet.

The priority date of this permit is ..... June 13, 1941 .....

Actual construction work shall begin on or before ..... October 30, 1942 .....  
and shall thereafter be prosecuted with reasonable diligence and be completed on or before .....  
October 1, 1943 .....

WITNESS my hand this ..... 30th ..... day of ..... October ..... 1941 .....

CHAS. E. STRICKLIN

State Engineer

Application No. R-19369

Reservoir Permit No. R-768

### PERMIT

To construct a reservoir and store for  
beneficial use the unappropriated  
waters of the State of Oregon.

District No. ....

This instrument was first received  
in the office of the State Engineer at  
Salem, Oregon, on the 13th day  
of June, 1941,  
at 2:15 o'clock P. M.

Returned to applicant for correction:

Corrected application received:

Approved:

October 30, 1941

Recorded in Book No. 3 of  
Reservoirs, on Page 768

CHAS. E. STRICKLIN

State Engineer

Form 103a-500-7-37

STATE PRINTING DEPT.

Paid \$6.04

2- P. 90-H.