

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

CERTIFICATE NO. 17241

I, D. & W Lumber Co. Glen Davis & Guy Wood (Name of applicant)

of Sutherlin, County of Douglas (Post office)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation Partnership

1. The name of the proposed reservoir is D & W Lumber Co Log Pond

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Camas Swale tributary of Umpqua River

3. The amount of water to be stored is 55.9 acre feet.

4. The use to be made of the impounded water is Log Pond (Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. Part of Section 20 T. 25 S. R. 5 W (Give sections or townships to be submerged) Lots 10 & 11 Plat "C" Sutherland Land & Water Co.

(a) State whether situated in channel of running stream and give character of material at outlet Not in Stream channel

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions Pumping

6. The dam will be located in SE 1/4 of NW 1/4 & NE 1/4 of SW 1/4, Sec. 20 (Smallest legal subdivision) Tp. 25 S, R. 5 W, W. M. It will be 7 feet in height, (No. N. or S.) (No. E. or W.)

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

having a length on top of 2400 feet; length on bottom 2518.5 feet; width on top 12 feet slope of front or water side 2 1/2 to 1 (Feet horizontal to 1 vertical) slope on back 2 1/2 to 1 (Feet horizontal to 1 vertical); height of dam above water line when full 1.5 feet feet.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: Clay and cemented gravel compacted in 0.5' layers logs in pond eliminate major wave action

8. The location of wasteway with dimensions are as follows: 8" culvert to adjacent ditch (State whether over or around the dam)

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: none (State whether through or around the proposed dam)

10. The area submerged by the proposed reservoir, when full, will be 8.1 acres, with a maximum depth of water of 7 feet; and approximate mean depth of water 7 feet.

11. The estimated cost of the proposed work is \$ 20,000.00

12. Construction work will begin on or before August 28, 1944

13. Construction work will be completed on or before Oct. 1, 1944

Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the State Water Board, accompany this application.

D. & W Lbr. Co. (Name of applicant)

(Sgd) Glen Davis Partner

Signed in the presence of us as witnesses:

(1) G. R. Boatwright (Name) (Address of witness)

(2) (Name) (Address of witness)

Application No. R-20419

Reservoir Permit No. R-805

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of August, 1944, at 10:31 o'clock A. M.

Returned to applicant for correction:

Corrected application received:

Approved:

February 1, 1945

Recorded in Book No. 3 of Reservoirs, on Page R-805

CHAS. E. STRICKLIN

State Engineer

Form 103a-500-7-37

STATE PRINTING DEPT.

Fees paid \$6.00