## CERTIFICATE NO. 15237

## Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

1,	U. L. Waterman	(Name of applic	ant)	•••••
	Grants Pass (Post office)	, County of	Josephine	•••••
te of	0regon	, do hereby	make application for a permit to constr	uct th
owing	described reservoir and to	store the unappropria	ted waters of the State of Oregon, sub	ject 1
sting ri	ights.			
If th	he applicant is a corporation	n, give date and place of	incorporation	
1. Т	The name of the proposed r	eservoir is Waterman	Reservoir	
	•			
2. T	The name of the stream fro	om which the reservoir	is to be filled and the appropriation n	nade
outary	ofEast Fork Illino	is River	e Communication and a second contraction of the second contraction of	
3. 7	The amount of water to be :	stored is4.5	acre feet.	
4. T	The use to be made of the in	npounded water is	Fish Fond (Irrigation, power, domestic supply, etc.)	••••••
5. T	The location of the propose	d reservoir will be in S	ec. 31 (Give sections or townships to be submerged)	
(a)	State whether situated in	channel of running st	ream and give character of material at	toutl
Ŋ	No Channel. Swampy de	epression.		
				•••••
, ,		· · · · ·	it is to be filled. If through a feed can	al, gi
	The dam will be leasted in	S₩ <del>½</del> N₩ <del>½</del>	gal subdivision)	••••••
D '/	ine aum wiii de idealea M .		, Det	

A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

slope on back 2 to 1	having a length on top of	200	feet; length on bottom200
7. The construction of dam, the material of which it is to be built, and method of protection fro waves are as follows:  Earth dam. Gement gravel, earth and cobblestone  8. The location of wasteway with dimensions are as follows:  Over dam.  Located 672 fact North and 532 feet East of the West 2 corner of Section 31,  Tomship 39 South Range 7 West of the Willamette Moridian  9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows:  through the dam. Located same as item 8. Wooden box 2 feet wide.  (State whether through a second to be recent days)  16 The area submerged by the proposed reservoir, when full, will be 1.5 acrow with a maximum depth of water of 6 feet; and approximate mean depth of wat 3 feet.  11. The estimated cost of the proposed work is \$200.00  12. Construction work will begin on or before Sept. 11, 1945  13. Construction work will be completed on or before Sept. 11, 1946  Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the Water Board, accompany this application.  (Sgd) O. L. Waterman Others Pass Ore.  Signed in the presence of us as witnesses:  (1) Chamber Of Chamber of Signed in the presence of us as witnesses:	feet; width on	top4	feet slope of front or water side3 to 1
7. The construction of dam, the material of which it is to be built, and method of protection frowaves are as follows:  Earth dam. Gement gravel, earth and cobblestone  8. The location of wasteway with dimensions are as follows:  Over dam.  Located 672 feet North and 532 feet East of the West 2 corner of Section 31,  Township 39 South Range 7 West of the Willamette Moridian  9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows:  through the dam. Located same as item 8. Wooden box 2 feet wide.  (State whether through or around the proposed case)  1 foot deep. 6 feet long.  10. The area submerged by the proposed reservoir, when full, will be 1.5 acrowith a maximum depth of water of 6 feet; and approximate mean depth of wat 3 feet.  11. The estimated cost of the proposed work is \$200.00  12. Construction work will begin on or before Sept. 11, 1945  13. Construction work will be completed on or before Sept. 11, 1946  Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the State Water Board, accompany this application.  (Sgd) O. L. Waterman Others Pass Ore.  Signed in the presence of us as witnesses:  (1) Chance Change of witnesses:	slope on back 2 to	] Feet horizontal to 1 vertice	; height of dam above water line when ful
8. The location of wasteway with dimensions are as follows: Over dam.  (State whether over or second the dam)  Located 672 feet North and 532 feet Bast of the West i corner of Section 31,  Township 39 South Range 7 West of the Willamette Meridian  9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: through the dam. Located same as item 8. Wooden box 2 feet wide.  (State whether brough or evenued the proposed dam)  10. The area submerged by the proposed reservoir, when full, will be 1.5 acre with a maximum depth of water of 6 feet; and approximate mean depth of wat 3 feet.  11. The estimated cost of the proposed work is \$200.00.  12. Construction work will begin on or before Sept. 11, 1245  13. Construction work will be completed on or before Sept. 11, 1245  14. Construction work will be completed on or before Sept. 11, 1245  15. Construction work will be completed on or before Sept. 11, 1245  16. Construction work will be completed on or before Sept. 11, 1245  17. Construction work will be completed on or before Sept. 11, 1245  18. Construction work will be completed on or before Sept. 11, 1245  19. Construction work will be completed on or before Sept. 11, 1245  19. Construction work will be completed on or before Sept. 11, 1245  19. Construction work will be completed on or before Sept. 11, 1245  19. Construction work will be completed on or before Sept. 11, 1245  19. Construction work will be completed on or before Sept. 11, 1245  19. Construction work will be completed on or before Sept. 11, 1245  19. Construction work will be completed on or before Sept. 11, 1245  19. Construction work will be completed on or before Sept. 11, 1245  19. Construction work will be completed on or before Sept. 11, 1245  19. Construction work will be completed on or before Sept. 11, 1245  19. Construction work will be completed on or before Sept. 11, 1245  19. Construction work will be completed on or before Sept. 11, 1245  19. Construction work will be completed o	_		
8. The location of wasteway with dimensions are as follows: Over dam.  (State whether over or avouad the dam)  Located 672 feet North and 532 feet East of the West 1 corner of Section 31,  Tommship 39 South Range 7 West of the Willamette Meridian  9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: through the dam. Located same as item 8. Wooden box 2 feet vide.  (State whether through a avouad the proposed am)  10. The area submerged by the proposed reservoir, when full, will be 1.5 acrowith a maximum depth of water of 6 feet; and approximate mean depth of wat 3 feet.  11. The estimated cost of the proposed work is \$200.00  12. Construction work will begin on or before Sept. 11, 1945  13. Construction work will be completed on or before Sept. 11, 1945  14. Construction work will be completed on or before Sept. 11, 1945  15. Construction work will be completed on or before Sept. 11, 1945  15. Construction work will be completed on or before Sept. 12, 1945  15. Construction work will be completed on or before Sept. 12, 1945  16. Construction work will be completed on or before Sept. 12, 1945  17. Construction work will be completed on or before Sept. 12, 1945  18. Construction work will be completed on or before Sept. 12, 1945  19. Construction work will be completed on or before Sept. 12, 1945  19. Construction work will be completed on or before Sept. 12, 1945  19. Construction work will be completed on or before Sept. 12, 1945  19. Construction work will be completed on or before Sept. 12, 1945  19. Construction work will be completed on or before Sept. 12, 1945  19. Construction work will be completed on or before Sept. 12, 1945  19. Construction work will be completed on or before Sept. 12, 1945  19. Construction work will be completed on or before Sept. 12, 1945  19. Construction work will be completed on or before Sept. 12, 1945  19. Construction work will be completed on or before Sept. 12, 1945  19. Construction work will be completed on or	7. The construction of da	ım, the material oj	f which it is to be built, and method of protection from
8. The location of wasteway with dimensions are as follows: Over dama (State whether over or second the dam)  Located 672 feet North and 532 feet East of the West 1 corner of Section 31,  Tommship 39 South Range 7 West of the Willamette Meridian  9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: through the dam. Located same as item 8. Wooden box 2 feet vide. (State whether through a second das proposed dam)  10. The area submerged by the proposed reservoir, when full, will be 1.5 acrowith a maximum depth of water of 6 feet; and approximate mean depth of wat 3 feet.  11. The estimated cost of the proposed work is \$200.00  12. Construction work will begin on or before Sept. 11, 1945  13. Construction work will be completed on or before Sept. 11, 1945  14. Construction work will be completed on or before Sept. 11, 1945  15. Construction work will be completed on or before Sept. 11, 1945  15. Construction work will be completed on or before Sept. 12, 1945  15. Construction work will be completed on or before Sept. 12, 1945  16. Construction work will be completed on or before Sept. 12, 1945  17. Construction work will be completed on or before Sept. 12, 1945  18. Construction work will be completed on or before Sept. 12, 1945  1991a. 12, 1945  Construction work will be completed on or before Sept. 12, 1945  1992a. 1994  Construction work will be completed on or before Sept. 12, 1945  1992a. 1994  Construction work will be completed on or before Sept. 12, 1945  1994  Construction work will be completed on or before Sept. 12, 1945  1995a. 12, 1945  19	waves are as follows:Ear	th dam. Cemen	t gravel, earth and cobblestone
Located 672 feet North and 532 feet East of the West 2 corner of Section 31,  Township 39 South Range 7 West of the Willamette Meridian  9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: through the dam. Located same as item 8. Wooden box 2 feet wide.  1 foot deep. 6 feet long.  10. The area submerged by the proposed reservoir, when full, will be 1.5 acre with a maximum depth of water of 6 feet; and approximate mean depth of wat 3 feet.  11. The estimated cost of the proposed work is \$200.00  12. Construction work will begin on or before Sept. 11, 1945  13. Construction work will be completed on or before Sept. 11, 1946  Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the State Water Board, accompany this application.  (Sgd) O. L. Waterman (there is a construction)  (Sgd) O. L. Waterman (Chame of species of witness)  (Address of witness)			
Located 672 feet North and 532 feet East of the West 1 corner of Section 31,  Township 39 South Sange 7 West of the Willamette Meridian  9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: through the dam. Located same as item 8. Wooden box 2 feet wide.  1 foot deep. 6 feet long.  10. The area submerged by the proposed reservoir, when full, will be 1.5 acre with a maximum depth of water of 6 feet; and approximate mean depth of wat 3 feet.  11. The estimated cost of the proposed work is \$200.00  12. Construction work will begin on or before Sept. 11, 1945  13. Construction work will be completed on or before Sept. 11, 1946  Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the State Water Board, accompany this application.  (Sgd) O. L. Waterman (Chame of supplication)  (Sgd) O. L. Waterman (Chame of supplication)  (Same) (Address of witness)			
Located 672 feet North and 532 feet East of the West 1 corner of Section 31,  Township 39 South Range 7 West of the Willamette Meridian  9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: through the dam. Located same as item 8. Wooden box 2 feet wide.  1 foot deep. 6 feet long.  10. The area submerged by the proposed reservoir, when full, will be 1.5 acres with a maximum depth of water of feet; and approximate mean depth of water 3 feet.  11. The estimated cost of the proposed work is \$200.00  12. Construction work will begin on or before Sept. 11, 1945  13. Construction work will be completed on or before Sept. 11, 1946  Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the State Water Board, accompany this application.  (Sgd) O. L. Waterman (Chame of modelment)  421 Evelyn Ave.  Grants Fass Ore.  Signed in the presence of us as witnesses:  (1) (Maddress of Wilness)			
Located 672 feet North and 532 feet East of the West 1 corner of Section 31,  Township 39 South Range 7 West of the Willamette Meridian  9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: through the dam. Located same as item 8. Wooden box 2 feet wide.  1 foot deep. 6 feet long.  10. The area submerged by the proposed reservoir, when full, will be 1.5 acre with a maximum depth of water of feet; and approximate mean depth of wate 3 feet.  11. The estimated cost of the proposed work is \$200.00  12. Construction work will begin on or before Sept. 11, 1945  13. Construction work will be completed on or before Sept. 11, 1946  Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the State Water Board, accompany this application.  (Sgd) O. L. Waterman (Same of applicant)  421 Evelyn Ave.  Grants Fass Ore.  Signed in the presence of us as witnesses:  (1) (Address of witness)	8 The location of waster	pan with dimensio	ms are as follows: over dam.
Township 39 South Range 7 West of the Willamette Meridian  9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: through the dam. Located Same as Item 8, Wooden box 2 feet wide.  (Ruse whether through or around the proposed dam)  1 foot deep. 6 feet long.  10. The area submerged by the proposed reservoir, when full, will be 1.5 acrewith a maximum depth of water of feet; and approximate mean depth of water 3 feet.  11. The estimated cost of the proposed work is \$200.00  12. Construction work will begin on or before Sept. 11, 1945.  13. Construction work will be completed on or before Sept. 11, 1946.  Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the State Water Board, accompany this application.  (Sgd) 0. L. Waterman (Name of applicame)  421 Evelyn Ave.  Grants Fass Ore.  Signed in the presence of us as witnesses:  (1) (Address of witness)			
9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: through the dam. Located same as 1tem 8. Wooden box 2 feet wide.  (State whether through or around the proposed dam)  1 foot deep. 6 feet long.  10. The area submerged by the proposed reservoir, when full, will be			
9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: through the dam. Located same as item 8. Wooden box 2 feet wide.  (State whether through or around the proposed dam)  1 foot deep. 6 feet long.  10. The area submerged by the proposed reservoir, when full, will be 1.5 acrewith a maximum depth of water of 6 feet; and approximate mean depth of water 3 feet.  11. The estimated cost of the proposed work is \$200.00  12. Construction work will begin on or before Sept. 11, 1945  13. Construction work will be completed on or before Sept. 11, 1946  Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the State Water Board, accompany this application.  (Sgd.) O. L. Waterman (Name of applicant)  421 Evelyn Ave.  Grants Pass Ore.  Signed in the presence of us as witnesses:	10		
are as follows: through the dam. Located same as item 8. Wooden box 2 feet wide.  (State whether through or around the proposed dam)  1 foot deep. 6 feet long.  10. The area submerged by the proposed reservoir, when full, will be 1.5 acres with a maximum depth of water of 6 feet; and approximate mean depth of water 3 feet.  11. The estimated cost of the proposed work is \$200.00  12. Construction work will begin on or before Sept. 11, 1945.  13. Construction work will be completed on or before Sept. 11, 1946.  Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the State Water Board, accompany this application.  (Sgd) 0. L. Waterman (Name of applicant)  421 Evelyn Ave.  Grants Pass Ore.  Signed in the presence of us as witnesses:	_		
1 foot deep. 6 feet long.  10. The area submerged by the proposed reservoir, when full, will be 1.5 acrewith a maximum depth of water of 6 feet; and approximate mean depth of wat 3 feet.  11. The estimated cost of the proposed work is \$200.00  12. Construction work will begin on or before Sept. 11, 1945  13. Construction work will be completed on or before Sept. 11, 1946  Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the State Water Board, accompany this application.  (Sgd) 0. L. Waterman (Name of applicant)  421 Evelyn Ave.  Grants Pass Ore.  Signed in the presence of us as witnesses:	·		
10. The area submerged by the proposed reservoir, when full, will be 1.5 acre with a maximum depth of water of 6 feet; and approximate mean depth of wat 3 feet.  11. The estimated cost of the proposed work is \$200.00  12. Construction work will begin on or before Sept. 11, 1945  13. Construction work will be completed on or before Sept. 11, 1946  Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of to State Water Board, accompany this application.  (Sgd) 0. L. Waterman (Name of applicant)  421 Evelyn Ave.  Signed in the presence of us as witnesses:	are as follows: through t	he dam. Locate (State wi	ed same as item 8. Wooden box 2 feet wide.  hether through or around the proposed dam)
with a maximum depth of water of	1 foot deep. 6 feet	long.	
with a maximum depth of water of			
with a maximum depth of water of	10. The area submerged b	u the proposed res	ervoir when full will be 1.5 acre
3		6	
11. The estimated cost of the proposed work is \$200.00  12. Construction work will begin on or before Sept. 11, 1945  13. Construction work will be completed on or before Sept. 11, 1946  Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of to State Water Board, accompany this application.  (Sgd) O. L. Waterman (Name of applicant)  421 Evelyn Ave.  Grants Pass Ore.  Signed in the presence of us as witnesses:	3	r oj	jeet, and approximate mean depth of wate
12. Construction work will begin on or before Sept. 11, 1945  13. Construction work will be completed on or before Sept. 11, 1946  Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of to State Water Board, accompany this application.  (Sgd) O. L. Waterman (Name of applicant)  421 Evelyn Ave.  Grants Pass Ore.  Signed in the presence of us as witnesses:	, , , , , , , , , , , , , , , , , , ,		
13. Construction work will be completed on or before Sept. 11, 1946  Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the State Water Board, accompany this application.  (Sgd) 0. L. Waterman (Name of applicant)  421 Evelyn Ave.  Grants Pass Ore.  Signed in the presence of us as witnesses:	11. The estimated cost of	the proposed work	c is \$ 200.00
Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the State Water Board, accompany this application.  (Sgd) O. L. Waterman (Name of applicant)  421 Evelyn Ave.  Grants Pass Ore.  Signed in the presence of us as witnesses:  (1) (Name) (Address of witness)	12. Construction work wi	ll begin on or befor	re Sept. 11, 1945
Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the State Water Board, accompany this application.  (Sgd) O. L. Waterman (Name of applicant)  421 Evelyn Ave.  Grants Pass Ore.  Signed in the presence of us as witnesses:  (1) (Name) (Address of witness)	13. Construction work wi	ll be completed on	or before Sept. 11, 1946
State Water Board, accompany this application.  (Sgd) O. L. Waterman (Name of applicant)  421 Evelyn Ave.  Grants Pass Ore.  Signed in the presence of us as witnesses:  (1) (Name) (Address of witness)			
(Sgd) 0. L. Waterman (Name of applicant)  421 Evelyn Ave.  Grants Pass Ore.  Signed in the presence of us as witnesses:  (1) (Name) (Address of witness)		* **	
(Name of applicant)  421 Evelyn Ave.  Grants Pass Ore.  Signed in the presence of us as witnesses:  (1)	State Water Board, accompany	j inis application.	(Cad) O I Watanaa
Grants Pass Ore.  Signed in the presence of us as witnesses:  (1) (Name) (Address of witness)			
Signed in the presence of us as witnesses:  (1)			421 Evelyn Ave.
Signed in the presence of us as witnesses:  (1)		4	
(1)		•	Grants Pass Ore.
(Name) (Address of witness)	Signed in the presence of us as	witnesses:	
(Name) (Address of witness)	(1)		
(2)(Address of witness)	(Name)	198	(Address of witness)
(Name) (Address of witness)	(2)		
	(Name)		(Address of witness)
	•		the state of the s

STATE PRINTING DEPT.

Remarks: Descri	ption: All of the	Southwest Q	uarter of the N	lorthwest
Quarte	r of Section 31, in	n Township 39	South Range 7	West of
the Wi	llamette Meridian,	containing 4	3.95 acres.	
•			•••••	
		<u></u>		
		10 10		
,				
			. Y	
•				
		***************************************		••••••
STATE OF OREGON, 1				
*	ss.	7		,
	nat I have examined the	e foregoing appl	ication, together 1	vith the accompanying
maps and data, and return				
maps and data, and return	, the sume for correction	or completion a	<i>b</i> 1000000.	
		***************************************		
TJ 44	ts priority, this applicat	tion must be mate	ummad to the State	Engineer with correc-
tions, on or before	-		urnea to the State	Engineer, with correc-
	d this day of			10
WIINESS my nand	i inis day oj	•	•	
				State Engineer
STATE OF OREGON,				
County of Marion,	SS.			
This is to certify th	at I have examined the	foregoing applic	cation and do here	by grant the same, sub-
ject to the following limit	tations and conditions:	The right he	rein granted i	s limited to the
construction of the	Waterman Reservoi	r and the sto	rage of water i	from No Name Sprine
to be appropriated	under Application	No. 21208, Pe	rmit No. 16624	for Fish Pond.
The right hereunder shall	l be limited to the stora	ge of	4.5	acre feet.
The priority date of this p				
	n work shall begin on or			
and shall thereafter be pr				
	1947		•	•
	d this 20th day		r	1945
wiinedd my nanc	i iiis uay			
		CHAS. E	• STRICKLIN	

Application No. R-21207

Reservoir Permit No. R-829

## PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

District No
This instrument was first received
in the office of the State Engineer at
Salem, Oregon, on the 13th day
of September , 19 45 ,
at 1:00 o'clock P. M.
Returned to applicant for correction:
Corrected application received:
Approved:
December 20, 1945
Recorded in Book No3 of
Reservoirs, on Page 329
CHAS. E. STRICKLIN State Engineer
Form 103a-500-7-37

15 - 81

Fees paid \$6.00