

• Reservoir Permit No. 830

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

| | I, George K. Goodrich D. D. S. (Name of applicant) |
|--------|--|
| of | Medford, Rt. 1, Box 374 , County of Jackson , |
| State | of, do hereby make application for a permit to construct the |
| follor | ving described reservoir and to store the unappropriated waters of the State of Oregon, subject to |
| existi | ing rights. |
| | If the applicant is a corporation, give date and place of incorporation |
| | 1. The name of the proposed reservoir is Goodrich Res. |
| | |
| | 2. The name of the stream from which the reservoir is to be filled and the appropriation made is Hartley Creek |
| tribu | tary of Grffin Greek |
| | 3. The amount of water to be stored is 3.24 acre feet. |
| | 4. The use to be made of the impounded water isirrigation |
| | 5. The location of the proposed reservoir will be in Sec. \mathbb{N} $\mathbb{R}^{\frac{1}{4}}$ \mathbb{S} $\mathbb{E}^{\frac{1}{4}}$ \mathbb{S} ec. 10 (Give sections or townships to be submerged) |
| | (a) State whether situated in channel of running stream and give character of material at outlet |
| | located in channel of stream |
| | |
| | (b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give |
| name | e and dimensions |
| | 6. The dam will be located in \mathbb{N} $\mathbb{E}^{\frac{1}{4}}$ S $\mathbb{E}^{\frac{1}{4}}$ (Smallest legal subdivision) |
| Tp | 38 S. , R. 2 W. , W. M. It will be |

^{*} A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

| feet; width on top 6 feet slope of front or water side 3 to 1 fresh bedouts to twelve slope on back 2 1/2 to 1 fresh bedouts to twelve slope on back 2 1/2 to 1 fresh bedouts to twelve slope on back 2 feet. feet. feet. feet. 7. The construction of dam, the material of which it is to be built, and method of protection frowaves are as follows: constructed of dirt. and rock, compacted 6!! layers by weight. of buildozer, rock faced upper face. feet location of wasteway with dimensions are as follows: (State whether over or around the dam) 15 feet long by 5 feet deep around end of dam built of concrete 9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: 6!! concrete tile buried beneath dam C.C. collars at feet feet | | |
|---|--|--|
| 7. The construction of dam, the material of which it is to be built, and method of protection frow aves are as follows:constructed of dirt. and rock, .compacted b!" layers by weight | | |
| 2 | slope on back 2 1/2 to 1 | ; height of dam above water line when full |
| 7. The construction of dam, the material of which it is to be built, and method of protection frowaves are as follows:constructed of dirt and rock, compacted bt layers by weight | | |
| waves are as follows:constructed of dirt and rock, compacted of layers by weight | | |
| 8. The location of wasteway with dimensions are as follows: 15. feet long by 5. feet deep around end of dam built of concrete 9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: 6" concrete tile buried beneath dam, C.C. collars at (state whether through as a round the proposed dam) joints to prevent leaking. 10. The area submerged by the proposed reservoir, when full, will be 3/4 acr with a maximum depth of water of feet; and approximate mean depth of water 5. feet. 11. The estimated cost of the proposed work is \$ 1400.00 feet; and approximate mean depth of water of the proposed work is \$ 1400.00 feet; and approximate mean depth of water of the proposed work is \$ 1400.00 feet; and approximate mean depth of water of the proposed work is \$ 1400.00 feet; and approximate mean depth of water of the proposed work is \$ 1400.00 feet; and approximate mean depth of water of the proposed work is \$ 1400.00 feet; and approximate mean depth of water of the proposed work is \$ 1400.00 feet; and approximate mean depth of water of the proposed work is \$ 1400.00 feet; and approximate mean depth of water of the proposed work is \$ 1400.00 feet; and approximate mean depth of water of the proposed work is \$ 1400.00 feet; and approximate mean depth of water of the proposed work is \$ 1400.00 feet; and approximate mean depth of water of the proposed work is \$ 1400.00 feet; and approximate mean depth of water of the proposed work is \$ 1400.00 feet; and approximate mean depth of water of the proposed work is \$ 1400.00 feet; and approximate mean depth of water of the proposed work is \$ 1400.00 feet; and approximate mean depth of water of the proposed work is \$ 1400.00 feet; and approximate mean depth of water feet; and approximate mean depth of water feet feet feet feet feet feet feet f | 7. The construction of dam, the material of u | which it is to be built, and method of protection from |
| 8. The location of wasteway with dimensions are as follows: 15. feet long by 5 fact deep around end of dam built of concrete 9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: 6"concrete tile buried beneath dam, C.C. collars at (state whether through or around the proposed dam) joints to prevent leakinge. 10. The area submerged by the proposed reservoir, when full, will be 3/4 | waves are as follows:constructed.of.dirt.ar | ad rock, compacted 6" layers by weight |
| 8. The location of wasteway with dimensions are as follows: 15. feet long by 5 fact deep around end of dam built of concrete 9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: 6"concrete tile buried beneath dam, C.C. collars at (state whether through or around the proposed dam) joints to prevent leakinge. 10. The area submerged by the proposed reservoir, when full, will be 3/4 | of bulldozer, rock faced upper face | |
| 8. The location of wasteway with dimensions are as follows: 15. feet long by 5. feet deep around end of dam built of concrete 9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: 6!" concrete tile buried beneath dam C.C.collars at (State whether through or around the proposed dam) joints to prevent leakings 10. The area submerged by the proposed reservoir, when full, will be 3/4 acr with a maximum depth of water of 9 feet: 11. The estimated cost of the proposed work is \$ 1400.00 12. Construction work will begin on or before one year from date of priority. 13. Construction work will be completed on or before ne year from date of priority. Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the State Water Board, accompany this application. | | |
| 8. The location of wasteway with dimensions are as follows: 15 feet long by 5 feet deep around end of dam built of concrete 9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: 6!! concrete tile buried beneath dam, C.C. collars at (state whether through or around the proposed dam) 10. The area submerged by the proposed reservoir, when full, will be 3/h acr with a maximum depth of water of 9. feet; and approximate mean depth of water 5. feet. 11. The estimated cost of the proposed work is \$ 1400.00. 12. Construction work will begin on or before one year from date of priority 13. Construction work will be completed on or before "" "" "" " Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the State Water Board, accompany this application. (Sed) George K. Goodrich D.D.S. | | |
| 9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: 6!! concrete tile buried beneath dam C.C. collars at (State whether through or around the proposed dam) joints to prevent leaking. 10. The area submerged by the proposed reservoir, when full, will be 3/4 acr with a maximum depth of water of 9. feet; and approximate mean depth of water 5. feet. 11. The estimated cost of the proposed work is \$ 1400.00. 12. Construction work will begin on or beforeone year from date of priority. 13. Construction work will be completed on or before | | |
| 9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: 6!! concrete tile buried beneath dam C.C. collars at (State whether through or around the proposed dam) joints to prevent leaking. 10. The area submerged by the proposed reservoir, when full, will be 3/4 acr with a maximum depth of water of 9. feet; and approximate mean depth of water 5. feet. 11. The estimated cost of the proposed work is \$ 1400.00. 12. Construction work will begin on or beforeone year from date of priority. 13. Construction work will be completed on or before | 8. The location of wasteway with dimensions | are as follows: (State whether over or around the dam) |
| 9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: | | · · · · · · · · · · · · · · · · · · · |
| 9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: 6.!. concrete tile buried henceth dam. C.C.collars at (State whether through or around the proposed dam) 10. The area submerged by the proposed reservoir, when full, will be 3/4 acr with a maximum depth of water of | built of concrete | |
| 9. The location of outlet from the proposed reservoir, with character of construction and dimension are as follows: 6!!concrete_tile_buried_beneath_dam, C.C.collers_at (State whether through or around the proposed dam) 10. The area submerged by the proposed reservoir, when full, will be 3/4 acr with a maximum depth of water of 9. feet; and approximate mean depth of water 5. feet. 11. The estimated cost of the proposed work is \$lhQQ.QQ. 12. Construction work will begin on or before one year from date of priority. 13. Construction work will be completed on or before "" " " " " Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of the State Water Board, accompany this application. (Sgd) George K. Goodrich D.D.S. | | |
| are as follows: | | |
| 10. The area submerged by the proposed reservoir, when full, will be3/l acr with a maximum depth of water of | 9. The location of outlet from the proposed re | servoir, with character of construction and dimensions, |
| 10. The area submerged by the proposed reservoir, when full, will be3/l acr with a maximum depth of water of | are as follows: 6" concrete tile buried b | eneath dam C.C.collars.at |
| 10. The area submerged by the proposed reservoir, when full, will be 3/4 acrewith a maximum depth of water of 9. feet; and approximate mean depth of water 5. feet. 11. The estimated cost of the proposed work is \$ 1400.00 12. Construction work will begin on or before one year from date of priority 13. Construction work will be completed on or before 11 11 11 11 11 11 11 11 11 11 11 11 11 | | |
| 10. The area submerged by the proposed reservoir, when full, will be3/4 | | |
| with a maximum depth of water of | | |
| with a maximum depth of water of | 10. The area submerged by the proposed reser | voir, when full, will be3/4acres |
| 11. The estimated cost of the proposed work is \$ 1400.00 12. Construction work will begin on or beforeone_year_from_date_of_priority | | |
| 11. The estimated cost of the proposed work is \$ | | jeet; and approximate mean depth of water |
| 12. Construction work will begin on or beforeone year from date of priority | 5feet. | |
| 13. Construction work will be completed on or before """ """ "" Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of t State Water Board, accompany this application. (Sgd) George K. Goodrich D.D.S. | 11. The estimated cost of the proposed work is | s \$ 1400.00 |
| 13. Construction work will be completed on or before """ """ "" Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of t State Water Board, accompany this application. (Sgd) George K. Goodrich D.D.S. | 19 Construction work will begin on or before | one wear from date of priority |
| Duplicate maps of the proposed reservoir and storage works, prepared in accordance with the rules of to State Water Board, accompany this application. (Sgd) George K. Goodrich D.D.S. | | |
| State Water Board, accompany this application. (Sgd) George K. Goodrich D.D.S. | 13. Construction work will be completed on or | r before """""""""""""""""""""""""""""""""""" |
| (Sgd) George K. Goodrich D.D.S. | Dunlicate mans of the proposed reservoir and stora | ge works, prepared in accordance with the rules of the |
| (Sgd) George K. Goodrich D.D.S. | Bupticate maps of the proposed received and ever | |
| | | |
| | | |
| | | |
| Rt 1 Box 374 | | (Name of applicant) |
| | | |
| · · · · · · · · · · · · · · · · · · · | | (Name of applicant) Rt 1 Box 374 |
| Signed in the presence of us as witnesses: | State Water Board, accompany this application. | (Name of applicant) |
| (1) (Sgd) Clinton A Smith | | (Name of applicant) Rt 1 Box 374 |
| (Name) (Address of witness) | State Water Board, accompany this application. Signed in the presence of us as witnesses: | (Name of applicant) Rt 1 Box 374 Medford, Ore. |
| Medford Ore. | State Water Board, accompany this application. Signed in the presence of us as witnesses: (1) (Sgd) Clinton A Smith | (Name of applicant) Rt 1 Box 374 Medford, Ore. |
| (2) (Name) (Address of witness) | State Water Board, accompany this application. Signed in the presence of us as witnesses: (1) (Sgd) Clinton A Smith (Name) Medford Ore. | (Name of applicant) Rt 1 Box 374 Medford, Ore. |
| | State Water Board, accompany this application. Signed in the presence of us as witnesses: (1)(Sgd) Clinton A Smith (Name) Medford Ore. | (Name of applicant) Rt 1 Box 374 Medford, Ore. (Address of witness) |

The second secon

STATE PRINTING DEPT.

| nemurks | | |
|----------------------------------|---|--|
| | | |
| | | |
| <u> </u> | | |
| | | · · · · · · · · · · · · · · · · · · · |
| · | <u>s</u> | ••••• |
| | | ······ |
| | | |
| <u> </u> | | |
| | | |
| | | |
| | | |
| | | |
| STATE OF OREGON, ss. | | |
| County of Marion, | | |
| This is to certify that I | I have examined the foregoing application, together with the | accompanying |
| maps and data, and return the | e same for correction or completion as follows: | |
| | | |
| | | ······································ |
| | | |
| In order to retain its p | priority, this application must be returned to the State Engineer | r, with correc- |
| tions, on or before | , 19 | *** * |
| WITNESS my hand th | ris day of, 19, 19 | |
| | | |
| | | State Engineer |
| | | |
| | | |
| STATE OF OREGON, ss. | | |
| County of Marion, | | |
| | I have examined the foregoing application and do hereby grant | |
| ject to the following limitation | ons and conditions: The right herein granted is limit | ed.to |
| the construction of Goo | odrich Reservoir and the storage of water from Har | tley-Greek |
| to be appropriated unde | er-Application No. 21311, Permit No. 16712 for irr | igation. |
| • | limited to the storage of3.24 | |
| The priority date of this perm | nit is December 3, 1945 | |
| Actual construction we | ork shall begin on or before March 18, 1947 | |
| and shall thereafter be prosec | cuted with reasonable diligence and be completed on or before | · |
| October 1. 1948 | | |
| | ris18th day of March, 19.46 | • |
| | CHAS. E. STRICKLIN | |

Application No. ...R-21310...

Reservoir Permit No. R-830

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

| District No |
|---|
| This instrument was first received in the office of the State Engineer at |
| Salem, Oregon, on the3rd day |
| of December , 19.45 , at 8:30 o'clock A. M. |
| Returned to applicant for correction: |
| Corrected application received: |
| Approved: |
| March 18, 1946 |
| Recorded in Book No3 of |
| Reservoirs, on Page830 |
| CHAS. E. STRICKLIN State Engineer Form 103a-500-7-37 STATE PRINTING DEPT. 15-24 |

Fees paid \$6.00

特