Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

	I, Harvey E. Gehring (Name of applicant)
ofR	t 3 Box 121 , Gounty of Silverton ,
State	ofQregon, do hereby make application for a permit to construct the
follow	ing described reservoir and to store the unappropriated waters of the State of Oregon, subject to
existin	ng rights.
	If the applicant is a corporation, give date and place of incorporation
. ·	1. The name of the proposed reservoir is
	2. The name of the stream from which the reservoir is to be filled and the appropriation made is
A	n.unnamed.stream.trib.of.Brush.Creek
tribut	ary ofPudding River
	3. The amount of water to be stored is acre feet.
	4. The use to be made of the impounded water isIrrigation
••••••	5. The location of the proposed reservoir will be in Sec. NW 1 NE 1 (Give sections or townships to be submerged)
Sec.	.9, T 7 S., R 1 W. W.M.
. 3	(a) State whether situated in channel of running stream and give character of material at outlet
in	old channel partly and part by excavation
	(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give
name	and dimensionsWater pumped from creek into reservoir through about 15 ft of
.2.i	n. pipe
	6. The dam will be located in, Sec,
Tp.	(Smallest legal subdivision) , R. , W. M. It will be 9.9 feet in height, (No. N. or S.)

^{*} A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

feet; width on top	feet slope of front or water side
	; height of dam above water line when full
feet.	
	of which it is to be built, and method of protection from
aves are as follows:A dike will be con	structed on 4 sides of the reservoir (85 ft x 27
1	
	makata tanggaran sa
8 The location of wastervay with dimensi	ions are as follows:(State whether over or around the dam)
	(State whether over or around the dam)
	d reservoir, with character of construction and dimensions,
re as follows:	N.E. corner of reservoir. whether through or around the proposed dam)
ر الله الله الله الله الله الله الله الل	
y ,	eservoir, when full, will beacres,
10. The area submerged by the proposed re	······································
10. The area submerged by the proposed re with a maximum depth of water of	eservoir, when full, will belacres,feet; and approximate mean depth of water
10. The area submerged by the proposed re ith a maximum depth of water of feet.	eservoir, when full, will beacres,
10. The area submerged by the proposed re ith a maximum depth of water of	eservoir, when full, will be acres, feet; and approximate mean depth of water k is 1500^{-00}
10. The area submerged by the proposed re with a maximum depth of water of	eservoir, when full, will be acres, feet; and approximate mean depth of water 1500^{00} ore
10. The area submerged by the proposed rewith a maximum depth of water of	servoir, when full, will be acres, feet; and approximate mean depth of water rk is \$
10. The area submerged by the proposed reservoir and st	eservoir, when full, will beacres,
10. The area submerged by the proposed resith a maximum depth of water of	servoir, when full, will beacres,feet; and approximate mean depth of water rk is \$500
10. The area submerged by the proposed reservoir and st	eservoir, when full, will beacres,
10. The area submerged by the proposed reservoir and st	servoir, when full, will beacres,feet; and approximate mean depth of water rk is \$
10. The area submerged by the proposed reservoir and st	servoir, when full, will beacres,feet; and approximate mean depth of water rk is \$
10. The area submerged by the proposed resith a maximum depth of water of	servoir, when full, will beacres,feet; and approximate mean depth of water rk is \$
10. The area submerged by the proposed re ith a maximum depth of water of	servoir, when full, will beacres,feet; and approximate mean depth of water rk is \$
10. The area submerged by the proposed resith a maximum depth of water of	servoir, when full, will beacres,
10. The area submerged by the proposed resith a maximum depth of water of	servoir, when full, will beacres,

Remarks:	JOTFOHOELL.	
N _c		
	,	
	······	
	······································	
		······································
		t .
STATE OF OREGON,)		
County of Marion, ss.		
This is to certify that I have examined the foregoing of	annlication, together	with the accompanying
maps and data, and return the same for correction or completic		
maps and data, and retarn the same for correction or completely		
In order to retain its priority, this application must be	returned to the Sta	te Engineer with correc-
tions, on or before		anguicer, went territor
WITNESS my hand this day of		19
WIIIVEDD ING ILLIAU CILIS		, 20
		State Engineer
STATE OF OREGON, \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
County of Marion,		· .
This is to certify that I have examined the foregoing ap		
ject to the following limitations and conditions:The righ		
the construction of one reservoir and the stora		
stream to be appropriated under Application No.		
The right hereunder shall be limited to the storage of		
The priority date of this permit is De		
Actual construction work shall begin on or beforeMa		
and shall thereafter be prosecuted with reasonable diligence a	ınd be completed on	or before
0ctober 1, 1948		
WITNESS my hand this18th day of	March	, 19146
	CHAS. E. STR	CICKLIN

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

District No
This instrument was first received
in the office of the State Engineer at
Salem, Oregon, on the 21st day
ofDecember, 19.45.,
at3:00 o'clock P
Returned to applicant for correction:
Corrected application received:
Approved:
March 18, 1946
Recorded in Book No3 of
Reservoirs, on Page831
CHAS. E. STRICKLIN State Engineer STATE PRINTING DEPT. 2 - 38G

Fees paid

\$6.00

es.