



STATE OF OREGON

County of DOUGLAS

PERMIT TO APPROPRIATE THE PUBLIC WATERS

This is to certify that I have examined APPLICATION **R-64572** and do hereby grant the same SUBJECT TO EXISTING RIGHTS AND THE FOLLOWING LIMITATIONS AND CONDITIONS:

This permit is issued to **Albert C. Schattenkerk of Star Route, Box 15, Winston, Oregon 97496, phone 679-6111, for the construction of four reservoirs and storage of water from two springs, an unnamed stream and Brockway Creek to be appropriated under Application 64573, Permit 47335, for irrigation.**

The dam will be LOCATED in the: **Pond 1 - NW 1/4 SE 1/4; Pond 2 - NW 1/4 SE 1/4; Pond 3 - NW 1/4 SE 1/4; Pond 4 - NE 1/4 SE 1/4, all within Section 25, Township 28 South, Range 7 West, WM, in the County of Douglas.**

The maximum height will be * feet above the stream bed or ground surface at the centerline. The top width will be * , slope of upstream face * , slope of downstream face * , and height of dam above water line when full *

The area submerged by the reservoir, when full, will be ** , and the maximum depth of water will be **
**The area submerged by the reservoirs, when full, will be 0.15 acre for Reservoir 1, 0.05 acre for Reservoir 2, 0.10 acre for Reservoir 3, and 0.02 acre for Reservoir 4. The maximum depth of water will be 16.0 feet for Reservoir 1, 16.0 feet for Reservoir 2, 12.0 feet for Reservoir 3, and 10.0 feet for Reservoir 4.

The location and dimension of the spillway for Reservoir 2 is: 2-foot culvert through dam.

The location and dimensions of the outlet conduit will be: Reservoir 2 has 12-inch outlet conduit.

Reservoirs 1, 3 and 4 are out of the channel. Reservoir 2 is in the channel.

The dams will be earthfill construction.

*The maximum height for Pond 1 and Pond 2 will be 8.0 feet and Pond 3 and Pond 4 will be excavated (no dam) above streambed or ground surface at the centerline. The top width of Pond 1 will be 12.0 feet and Pond 2 will be 16.0 feet, slope of upstream face for both Pond 1 and Pond 2 will be 3:1, slope of downstream face for both Pond 1 and Pond 2 will be 2:1, and height of dams above water line when full for Pond 1 will be 3.0 feet and Pond 2 will be 2.5 feet.

***0.8 acre-foot stored in Reservoir 3 from Spring 1, and 0.2 acre-foot stored in Reservoir 4 from Spring 2.

The right hereunder shall be limited to the storage of **3.5 acre-feet, being 2.0 acre-feet stored in Reservoir 1 from Brockway Creek, 0.5 acre-foot stored in Reservoir 2 from the unnamed stream,*****

The PRIORITY DATE of this permit is **December 7, 1982** .

Actual construction work shall begin on or before **March 22, 1984** , and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 **85** .

Complete application of the water to the proposed use shall be made on or before October 1, 19 **86** .

Witness my hand this **22nd** day of **March** , 19 **83** .

/s/ JAMES E. SEXSON

WATER RESOURCES DIRECTOR

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

APPLICATION **R-64572**

PERMIT

R 8597