

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Elizabeth C. Coleman (Name of applicant) of North Bend (Postoffice), County of Coos, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed stream (Name of stream), a tributary of Haynes Inlet

2. The amount of water which the applicant intends to apply to beneficial use is .01 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 70.5 ft. South and 575.0 ft. East from the N.E. corner of Section three (3) (Section or subdivision)

(If preferable, give distance and bearing to Sec. Cor.)

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of NW 1/4 of Sec. 2, Tp. 25 S (No. N. or S.)

R. 13 W (No. E. or W.), W. M., in the county of Coos

5. The pipe line (Main ditch, canal or pipe line) to be 1500 ft. (?) (No. miles or feet)

in length, terminating in the NE 1/4 of NE 1/4 of Sec. 3, Tp. 25 S (Smallest legal subdivision) (No. N. or S.)

R. 13 W (No. E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is pipe line

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 2 feet, length on top 10 feet, length at bottom 14 feet; material to be used and character of construction Earth (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Pipe only (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$.....
- 13. Construction work will begin on or before
- 14. Construction work will be completed on or before
- 15. The water will be completely applied to the proposed use on or before Dec. 1, 1932

Elizabeth C. Coleman
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) E. R. Peterson, Marshfield, Oregon
(Name) (Address of witness)
- (2) Alta R. Peterson, Marshfield, Oregon
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before February 1, 19231

WITNESS my hand this 31st day of December, 19230

CHAS. E. STRICKLIN
LN STATE ENGINEER

Application No. 13828

Permit No. 10004

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Ore-

gon, on the 30th day of December,

19230, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

February 19, 1931

Recorded in book No. 33 of

Permits on page 10004

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 17 Page 397 g

Fees Paid \$10.00

STATE OF OREGON,)
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second, or its equivalent in case of rotation with other water users, from an unnamed stream tributary of Haynes Inlet.

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 30, 1930

Actual construction work shall begin on or before February 19, 1932 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1933

Complete application of the water to the proposed use shall be made on or before October 1, 1934

WITNESS my hand this 19th day of February, 19231

CHAS. E. STRICKLIN STATE ENGINEER.