

CANAL SYSTEM OR PIPE LINE

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 300 ft. ft.; size at intake, 4 inch in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, 60 ft. ft. Is grade uniform? Estimated capacity, 1 sec. ft.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of 22 acres, located in each smallest legal subdivision, as follows:

Township	Range	Section	Forty-acre Tract	Number Acres to be Irrigated
1 N	3 W	36	SW $\frac{1}{4}$ SW $\frac{1}{4}$	13
			SE $\frac{1}{4}$ SW $\frac{1}{4}$	9

(If more space required, attach separate sheet)

(a) Character of soil Clay loam

(b) Kind of crops raised Lawn grass and shrubs

POWER OR MINING PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.) (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 1800.00
- 13. Construction work will begin on or before ... Already begun
- 14. Construction work will be completed on or before May 1, 1931
- 15. The water will be completely applied to the proposed use on or before July 1, 1931

Pacific Mausoleum Company, Inc.
(Name of applicant)
By Zina Hood, Pres.

Signed in the presence of us as witnesses:

- (1) W. V. Bergen, Hillsboro, Oregon
(Name) (Address of witness)
- (2) H. R. Morgan, Hillsboro, Oregon
(Name) (Address of witness)

Remarks: This water is proposed to be used in the purpose of irrigating
and caring for the perpetual upkeep of a cemetery, of which 2.5 acres are
improved at the present time, to be enlarged in future as conditions demand.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before, 192.....

WITNESS my hand this day of, 192.....

STATE ENGINEER

Application No. 13968.....

Permit No. 10064.....

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Ore-

gon, on the 25th day of February

1931, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

April 3, 1931

Recorded in book No. 33 of

Permits on page 10064

CHAS. E. STRICKLIN

STATE ENGINEER

2--43 i.

\$9.50 paid

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.27 cubic feet per second, or its equivalent in case of rotation with other water users, from McKay Creek, trib. Dairy Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 25, 1931

Actual construction work shall begin on or before April 3, 1932 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1933

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1934

WITNESS my hand this 3rd day of April, 1931

CHAS. E. STRICKLIN

STATE ENGINEER.