

*APPLICATION FOR A PERMIT

CERTIFICATE NO. 11071

To appropriate the Public Waters of the State of Oregon

I, Clarence H. Sheley (Name of applicant) of Medford, Oregon Box 492 (Postoffice), County of Jackson, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Rogue River (Name of stream), a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.10 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation and domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2600 ft. N. and 950 ft. E. from the SW corner of Sec. 15, T. 36 S., R. 2 W., W.M. (Section or subdivision) (If preferable, give distance and bearing to Sec. Cor.) (If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the Lot #9, or NW 1/4 SW 1/4 of Sec. 15, Tp. 36 South, R. 2 W, W. M., in the county of Jackson (Give smallest legal subdivision) (No. N. or S.) (No. E. or W.)

5. The Pipe line to be 200 feet in length, terminating in the Lot #9 of Sec. 15, Tp. 36 S, R. 2 W, W. M., the proposed location being shown throughout on the accompanying map. (Main ditch, canal or pipe line) (No. miles or feet) (Smallest legal subdivision) (No. N. or S.) (No. E. or W.)

6. The name of the ditch, canal or other works is Sheley pumping plant

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 192.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$.....600.00.....
- 13. Construction work will begin on or beforeApril 1, 1931.....
- 14. Construction work will be completed on or before April 1, 1932.....
- 15. The water will be completely applied to the proposed use on or before April 1, 1933.....

.....Clarence H. Sheley.....
(Name of applicant)

Signed in the presence of us as witnesses:

- (1)Chester A. Cummings.....,
(Name) (Address of witness)
- (2)
(Name) (Address of witness)

Remarks:Intake is on the property of the applicant.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 192.....

WITNESS my hand this day of, 192.....

STATE ENGINEER

Application No. 13972.....

Permit No. 10067.....

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Ore-

gon, on the 2nd day of March

1931, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

April 3, 1931

Recorded in book No. 33 of

Permits on page 10067

15 -- 378 f CHAS. E. STRICKLIN
STATE ENGINEER

Paid \$14.50

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,
subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.10 cubic feet per second, or its equivalent in case of rotation with other
water users, from Rogue River

The use to which this water is to be applied is irrigation and domestic

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system
as may be ordered by the proper state officer.

The priority date of this permit is March 2, 1931

Actual construction work shall begin on or before April 3, 1932 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
Oct. 1, 1933

Complete application of the water to the proposed use shall be made on or before

Oct. 1, 1934

WITNESS my hand this 3rd day of April, 1931.

CHAS. E. STRICKLIN

STATE ENGINEER.