

CERTIFICATE NO. 9928

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Mary G. Young, per R. L. Fanning (Name of applicant) of Hilgard (Postoffice), County of Union State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation Not a corporation

- 1. The source of the proposed appropriation is Un-named springs (Name of stream) as shown by the map, a tributary of Fields Creek (Trib. of John Day Riv.)
2. The amount of water which the applicant intends to apply to beneficial use is .05 cubic feet per second, or two miner's inches (If water is to be used from more than one source, give quantity from each)
3. The use to which the water is to be applied is Domestic & Stock (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 600 and 700 feet respectively from the E Quarter Corner of Section 35, Twp. 13 S. R. 28 E. W. M. (If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of the NE 1/4 of Sec. 35, Tp. 13 S. R. 28 E., W. M., in the county of Grant

5. The Main Pipe Line to be 50 feet in length, terminating in the SE 1/4 of the NE 1/4 of Sec. 35, Tp. 13 S. R. 28 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is no ditches, use trough only, with short pipes filling the same. Water to be used for stockwater for stock using the NE 1/4 of said Section 35, Twp 13 S. R. 28 E. W. M.

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction no dam rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate no head gate

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

MUNICIPAL SUPPLY—

11. To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 193_____

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 50.00
- 13. Construction work will begin on or before May 1st, 1932
- 14. Construction work will be completed on or before July 1, 1932
- 15. The water will be completely applied to the proposed use on or before July 1, 1932

MARY G. YOUNG
(Name of applicant)
by R. L. Fanning

Signed in the presence of us as witnesses:

- (1) Earl B. Moore _____, John Day, Oregon.
(Name) (Address of witness)
- (2) Lola Bell _____, John Day, Oregon.
(Name) (Address of witness)

Remarks: _____

This is a spring on the side of a hill and is used for stockwater
for the above lands.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

Signature _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 22, 1931, 193_____

WITNESS my hand this 22nd day of May, 1931

CHAS. E. STRICKLIN
EL STATE ENGINEER

Application No. 14107

Permit No. 10188

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 21st day of May, 1931, at 1:00 o'clock P. M.

Returned to applicant:

May 22, 1931.

Corrected application received:

Approved:

July 15, 1931.

Recorded in book No. 34 of Permits on page 10188

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 6 Page 1441 Fees Paid \$10.00

STATE OF OREGON, } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second, or its equivalent in case of rotation with other water users, from unnamed springs, tributary of Fields Creek.

The use to which this water is to be applied is domestic and stock.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 21, 1931.

Actual construction work shall begin on or before July 15, 1932, and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1933.

Complete application of the water to the proposed use shall be made on or before October 1, 1934.

WITNESS my hand this 15th day of July, 1931

CHAS. E. STRICKLIN STATE ENGINEER

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.