

*** APPLICATION FOR A PERMIT**

To appropriate the Public Waters of the State of Oregon

I, Lars Eilertsen (Name of applicant)
of Woodson (Postoffice), County of Columbia,
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Lars Eilertsen Creek (Name of stream),
a tributary of Westport Slough

2. The amount of water which the applicant intends to apply to beneficial use is 0.25
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 740 ft. West and 300 ft. South from the NE
corner of Section 8, in Township 7 North of Range 5 West of the Willamette Meridian,
Columbia County, Oregon. (Section or subdivision)
(If preferable, give distance and bearing to Sec. Cor.)

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the Northeast Quarter of the NE 1/4 of Sec. 8, Tp. 7 N,
R. 5 W, W. M., in the county of Columbia
(No. E. or W.) (Give smallest legal subdivision) (No. N. or S.)

5. The pipe line to be 3500 feet
in length, terminating in the NW 1/4 SE 1/4 of Sec. 5, Tp. 7 N,
R. 5 W, W. M., the proposed location being shown throughout on the accompanying map.
(Main ditch, canal or pipe line) (No. miles or feet)
(Smallest legal subdivision) (No. N. or S.)

6. The name of the ditch, canal or other works is proposed for the purpose of supplying applicant and others on Woodson Drainage District with water.

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction Kind of dam or reservoir not determined at this time.
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Small timber dam with pipe leading into small timber tank.
(Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 3500 ft.; size at intake, 3 inch to tank in.; size at tank 2 inch ft. from intake in.; size at place of use two in.; difference in elevation between intake and place of use, 200 ft. Is grade uniform? yes Estimated capacity, .25 sec. ft.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of acres, located in each smallest legal subdivision, as follows:

Township	Range	Section	Forty-acre Tract	Number Acres to be Irrigated
PLACE OF USE: NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 5, Tp. 7 N., R. 5 W., W. M.				
Also beginning at the point of intersection of the East boundary line of Sec. 5, Twp. 7 North, Range 5 West of W.M. with a Northerly Boundary line of the Columbia River highway as at present existing and established, said point being 869.3 feet from the S.E. corner of Sec. 5.				
7 N	5 W	5	SE $\frac{1}{4}$ and NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 8.	

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

POWER OR MINING PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$1000.00.....
- 13. Construction work will begin on or before as soon as permit is granted.....
- 14. Construction work will be completed on or before six weeks following receipt of permit.
- 15. The water will be completely applied to the proposed use on or before December 1, 1931.....

..... Lars Eilertsen
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) Bart Boggs Clatskanie, Oregon
(Name) (Address of witness)
- (2) Geo. E. Woyers Clatskanie, Oregon
(Name) (Address of witness)

Remarks:

This is to be used for domestic purposes and not for power or irrigation.
Eleven houses.

STATE OF OREGON, }
 } ss.
County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 28, 1931
August 15, 1931
August 21, 1931, 193.....

WITNESS my hand this 15th day of July, 1931.
21st July 1931
28th July 1931

CHAS. E. STRICKLEN STATE ENGINEER

Application No. 14157

Permit No. 10224

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Ore-

gon, on the 17th day of June

1931, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

September 25, 1931

Recorded in book No. 34 of

Permits on page 10224

CHAS. E. STRICKLIN STATE ENGINEER

1-1 i

\$10.00

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second, or its equivalent in case of rotation with other water users, from Lars Eilertsen Creek

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 17, 1931

Actual construction work shall begin on or before September 25, 1932 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1933

Complete application of the water to the proposed use shall be made on or before October 1, 1934

WITNESS my hand this 25th day of September, 1931

CHAS. E. STRICKLIN STATE ENGINEER

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.