

*** APPLICATION FOR A PERMIT**

To appropriate the Public Waters of the State of Oregon

I, Claude Baty (Name of applicant)
of Tillamook (Postoffice), County of Tillamook,
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

- The source of the proposed appropriation is unnamed springs (Name of stream), a tributary of settle in ground and do not reach any named stream.
- The amount of water which the applicant intends to apply to beneficial use is 0.04 cubic feet per second. being 0.02 cu. feet per second from each source shown (If water is to be used from more than one source, give quantity from each)
- The use to which the water is to be applied is domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 193.3 ft. N. and 203.3 ft. E. from the NE corner of of the NW¹/₄ of the SE¹/₄ of Section 24, T. 1 S. R. 10 W. W. M. (Section or subdivision) also 128.3 feet N. and 86.8 feet West of the same above described corner, said (If preferable, give distance and bearing to Sec. Cor.) corner being an iron pipe placed by the county surveyor of Tillamook County. (If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the SW¹/₄ SE¹/₄ NE¹/₄ SE¹/₄ SW¹/₄ NE¹/₄ of Sec. 34, Tp. 1 S. R. 10 W., W. M., in the county of Tillamook (Give smallest legal subdivision) (No. N. or S.) (No. E. or W.)

5. The pipe line to be 641.5 feet to dam (Main ditch, canal or pipe line) (No. miles or feet) in length, terminating in the NE¹/₄ NW¹/₄ SE¹/₄ of Sec. 34, Tp. 1 S. R. 10, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (No. N. or S.) (No. E. or W.)

6. The name of the ditch, canal or other works is none

DESCRIPTION OF WORKS

DIVERSION WORKS—

- (a) Height of dam 6 ft. feet, length on top 15 feet feet, length at bottom 8 ft. feet; material to be used and character of construction earth and lumber (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)
This dam to be constructed on the east spring. No dam on west spring, water from this source being taken directly into pipe. The west spring is to be used merely as an emergency when there is a shortage of water in the dam.
(b) Description of headgate (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 641.5 ft.; size at intake, 1 in.; size at 641.5 ft. from intake 1 in.; size at place of use 1 in.; difference in elevation between intake and place of use, 69 ft. Is grade uniform? yes Estimated capacity, sec. ft.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of acres, located in each smallest legal subdivision, as follows:

Township	Range	Section	Forty-acre Tract	Number Acres to be Irrigated

(If more space required, attach separate sheet)

(a) Character of soil
 (b) Kind of crops raised

POWER OR MINING PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (Head)
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
 (Legal subdivision)
 Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
 (Yes or No)
 (g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$.....
- 13. Construction work will begin on or before July 1, 1931.....
- 14. Construction work will be completed on or before August 1, 1931.....
- 15. The water will be completely applied to the proposed use on or before August 1, 1931.....

C. Baty
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) G. S. Gray Tillamook, Oregon
(Name) (Address of witness)
- (2) J. S. Gillis " "
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

Completion, balance of fees and signature.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 26, 1931....., 193.....

WITNESS my hand this 26th day of June....., 1931

CHAS. E. STRICKLIN
EL STATE ENGINEER

Application No. 14166

Permit No. 10245

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of June, 1931, at 1:00 o'clock P.M.

Returned to applicant:

June 26, 1931

Corrected application received:

July 7, 1931

Approved:

September 25, 1931

Recorded in book No. 34 of Permits on page 10245

CHAS. E. STRICKLIN STATE ENGINEER

1--9

\$10.00

STATE OF OREGON, } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.04 cubic feet per second, or its equivalent in case of rotation with other water users, from unnamed springs: 0.02 second-foot to be taken from each source.

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to ... of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 24, 1931

Actual construction work shall begin on or before September 25, 1932 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1933

Complete application of the water to the proposed use shall be made on or before October 1, 1934

WITNESS my hand this 25th day of September, 1931

CHAS. E. STRICKLIN STATE ENGINEER

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.