

* APPLICATION FOR A PERMIT

CERTIFICATE NO. 9933

To appropriate the Public Waters of the State of Oregon

I, Catharine Ellen Jorgensen
(Name of applicant)
of 685 Bedwell Ave., Portland
(Postoffice), County of Multnomah
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Myrtle Creek, trib. of
(Name of stream)
Myrtle Creek, a tributary of South Umpqua River.

2. The amount of water which the applicant intends to apply to beneficial use is 0.25
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located approx. 600 ft. N and 600 ft. E from the South 1/4
(N. or S.) (E. or W.)
corner of Sec. 5.
(Section or subdivision)

(If preferable, give distance and bearing to Sec. Cor.)

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SE 1/4 of Sec. 5, Tp. 29 S
(Give smallest legal subdivision) (No. N. or S.)

R. 4 W, W. M., in the county of Douglas
(No. E. or W.)

5. The Pipe line to be 500 feet
(Main ditch, canal or pipe line) (No. miles or feet)
in length, terminating in the SW 1/4 SE 1/4 of Sec. 5, Tp. 29 S
(Smallest legal subdivision) (No. N. or S.)

R. 4 W, W. M., the proposed location being shown throughout on the accompanying map.
(No. E. or W.)

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam No. feet, length on top feet, length at bottom
feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate None - pumping plant.
(Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 500 ft.; size at intake, 4 in.; size at ft. from intake in.; size at place of use 4 in.; difference in elevation between intake and place of use, 10 ft. lift ft. Is grade uniform? Estimated capacity, sec. ft. Pumping plant to be used.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of 20 acres, located in each smallest legal subdivision, as follows:

Township	Range	Section	Forty-acre Tract	Number Acres to be Irrigated
29 S.	4 W.	5	SW $\frac{1}{4}$ SE $\frac{1}{4}$	20
.....
.....
.....
.....
.....
.....
.....

(If more space required, attach separate sheet)

(a) Character of soil Sandy loam.
 (b) Kind of crops raised Serial crops, garden.

POWER OR MINING PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (Head)
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
 (Legal subdivision)
 Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
 (Yes or No)

(g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served.....

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 200.00
- 13. Construction work will begin on or before One year from date of approval
- 14. Construction work will be completed on or before two years
- 15. The water will be completely applied to the proposed use on or before three years.

Catharine Ellen Jorgensen
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) L. A. Stanley, Salem.
(Name) (Address of witness)
- (2)
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 14327

Permit No. 10360

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Ore-

gon, on the 21st day of September

1931, at 1:30 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

November 27, 1931

Recorded in book No. 35 of

Permits on page 10360

CHAS. E. STRICKLIN STATE ENGINEER

16-396 f \$9.50

STATE OF OREGON, } County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second, or its equivalent in case of rotation with other water users, from North Myrtle Creek, trib. of Myrtle Creek, trib. So. Umpqua River.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 21, 1931

Actual construction work shall begin on or before November 27, 1932 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1933

Complete application of the water to the proposed use shall be made on or before

October 1, 1934

WITNESS my hand this 27th day of November, 1931

CHAS. E. STRICKLIN STATE ENGINEER

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.