

Part Canceled-sp. or Rec. Vol. 11 P. 155 CERTIFICATE NO. 11827 SUPERSEDED

* APPLICATION FOR A PERMIT CERTIFICATE NO. 40858

To Appropriate the Public Waters of the State of Oregon

I, H. L. Reddig (Name of applicant) of Route 2, Cornelius (Postoffice), County of Washington, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an unnamed spring creek and a small tributary thereof, a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is 0.08 cubic feet per second 0.05 from small tributary and 0.03 from creek

3. The use to which the water is to be applied is irrigation and domestic including operation of hydraulic ram

4. The point of diversion is located 200 ft. N and 300 ft. E from the S.W. corner of the SE 1/4 SW 1/4 Sec. 26. No. 2; 400 N. and 200 ft. E. from same corner

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SW 1/4 of Sec. 26, Tp. 1 S, R. 3 W, W. M., in the county of Washington

5. The pipe line to be 800 feet in length, terminating in the SE 1/4 SW 1/4 of Sec. 26, Tp. 1 S, R. 3 W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 2 feet, length on top 8 feet, length at bottom feet; material to be used and character of construction lumber

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1000 ft.; size at intake, 3/4 in.; size at ft. from intake in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 60 ft. lift ft. Is grade uniform? Estimated capacity, sec. ft. See Remarks

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of 2 acres, located in each smallest legal subdivision, as follows:

Township	Range	Section	Forty-acre Tract	Number Acres to be Irrigated
1 S	3 W	26	SE 1/4 SW 1/4	2

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

POWER OR MINING PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 193....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 200.00
- 13. Construction work will begin on or before already begun
- 14. Construction work will be completed on or before two years
- 15. The water will be completely applied to the proposed use on or before three years

W. L. Reddig
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) L. A. Stanley
(Name) (Address of witness)
- (2) _____
(Name) (Address of witness)

Remarks: The ram and pipe line to house were installed in
September 1931. Ram requires 3 a.p.m. 1" drive pipe about 75 ft. long. Flume
for irrigation will be about 12" wide and 8" deep.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before _____, 193....

WITNESS my hand this _____ day of _____, 193....

STATE ENGINEER

Application No. 14456

Permit No. 10475

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Ore-

gon, on the 5th day of January,

1932, at 10:45 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

March 3, 1932

Recorded in book No. 35 of

Permits on page 10475

CHAS. E. STRICKLIN
STATE ENGINEER

2--43 k

\$14.50

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.08 cubic feet per second, or its equivalent in case of rotation with other water users, from an unnamed spring creek and a small tributary thereof. 0.05 from small tributary and 0.03 from creek, tributary of Tualatin River.

The use to which this water is to be applied is irrigation and domestic, including operation of hydraulic ram.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 5, 1932

Actual construction work shall begin on or before March 3, 1933 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1934

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1935

WITNESS my hand this 3rd day of March, 1932

CHAS. E. STRICKLIN
STATE ENGINEER

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.