

* APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, J. M. Graham, Administrator of the Estate of F. J. Chambers, Deceased.
(Name of applicant)
of Kings Valley, County of Benton, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is a spring (Name of stream)
a tributary of Luckiamute River

2. The amount of water which the applicant intends to apply to beneficial use is 0.1 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1800 ft. N. and 600 ft. E. from the SW corner of Section 9, Township 10 S. R. 6 W of W.M. (Section or subdivision)
(If preferable, give distance and bearing to Sec. Cor.)

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of SW 1/4 of Sec. 9, Tp. 10 S., R. 6 W., W. M., in the county of Benton

5. The Flume to be 800 feet in length, terminating in the NE 1/4 of the SW 1/4 of Sec. 9, Tp. 10 S., R. 6 W., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is Spring Water Works

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam None feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate None (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 4" V Flume 3" feet; width on bottom V Flume feet; depth of water 1½ Inches feet; grade 200 feet fall per one thousand feet.

(b) At 400 feet miles from headgate: width on top (at water line) 4" feet; width on bottom V Flume feet; depth of water 2" feet; grade 50 feet fall per one thousand feet.

(c) Length of pipe, 800' Flume ft.; size at intake, V Flume 4 in.; size at 400 ft. from intake V Flume 4 in.; size at place of use V Flume 4 in.; difference in elevation between intake and place of use, 100 ft. Is grade uniform? NO. Estimated capacity, 0.1 sec. ft.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of Two acres, located in each smallest legal subdivision, as follows:

Township	Range	Section	Forty-acre Tract	Number Acres to be Irrigated
<u>10</u>	<u>6</u>	<u>9</u>	<u>NE¼ of SW¼</u>	<u>2</u>

(If more space required, attach separate sheet)

(a) Character of soil Clay Loam

(b) Kind of crops raised Garden & Pasture

POWER OR MINING PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served.....

MUNICIPAL SUPPLY—

11. To supply the city of _____
_____ County, having a present population of _____
(Name of) _____
and an estimated population of _____ in 193_____

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 50.00 _____
- 13. Construction work will begin on or before June 1, 1932 _____
- 14. Construction work will be completed on or before June 1, 1934 _____
- 15. The water will be completely applied to the proposed use on or before June 1, 1935 _____

J. M. Graham _____
(Name of applicant)
Administrator of the Estate of
F. J. Chambers, Deceased. _____

Signed in the presence of us as witnesses:

- (1) J. W. Graham _____, Kings Valley, Oregon. _____
(Name) (Address of witness)
- (2) D. H. Simpson _____, Kings Valley, Oregon. _____
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 193_____

WITNESS my hand this _____ day of _____, 193_____

STATE ENGINEER

Application No. 14493

Permit No. 10488

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of February,

1932, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

March 3, 1932.

Recorded in book No. 35 of Permits on page 10488

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 24 a Fees Paid \$9.50.

STATE OF OREGON, } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.025 cubic feet per second, or its equivalent in case of rotation with other water users, from a spring, tributary of Luckiamute River.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 18, 1932.

Actual construction work shall begin on or before March 3, 1933. and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1934.

Complete application of the water to the proposed use shall be made on or before October 1, 1935.

WITNESS my hand this 3rd day of March, 1932.

CHAS. E. STRICKLIN

STATE ENGINEER

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.