

*** APPLICATION FOR A PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, Hood River Laundry Co., Inc.
(Name of applicant)
of Hood River, (Postoffice), County of Hood River,
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation Aug. 1911
Hood River, Oregon.

1. The source of the proposed appropriation is overflow from City Reservoir
(Name of stream), a tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 0.10
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Washing
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 316 ft. S. and 266 ft. W. from the N.E.
(N. or S.) (E. or W.)
corner of 35 T. 3 N. R. 10 E. W.M.
(Section or subdivision)
(If preferable, give distance and bearing to Sec. Cor.)

(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the NE¹/₄ NE¹/₄ of Sec. 35, Tp. 3 N,
(Give smallest legal subdivision) (No. N. or S.)
R. 10 E, W. M., in the county of Hood River
(No. E. or W.)

5. The pipe line to be 370
(Main ditch, canal or pipe line) (No. miles or feet)
in length, terminating in the SE¹/₄ SE¹/₄ of Sec. 26, Tp. 3 N,
(Smallest legal subdivision) (No. N. or S.)
R. 10 E, W. M., the proposed location being shown throughout on the accompanying map.
(No. E. or W.)

6. The name of the ditch, canal or other works is Hood River Laundry Co.

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Timbered box 2' by 2' by 2' - covered.
(Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 370 ft.; size at intake, 4 in.; size at 50 ft. from intake 3 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 10 ft. Is grade uniform? yes Estimated capacity, .10 sec. ft.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of acres, located in each smallest legal subdivision, as follows:

Township	Range	Section	Forty-acre Tract	Number Acres to be Irrigated
PLACE OF USE:				
<u>3 N.</u>	<u>10 E.</u>	<u>26</u>	<u>SE¹/₄ SE¹/₄</u>	
.....
.....
.....
.....
.....
.....

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

POWER OR MINING PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? yes
(Yes or No)

(g) If so, name stream and locate point of return City overflow from reservoir

13th & State Sec. 26 Tp. 3 N. R. 10 E. W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 193_____

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 200.00 _____
- 13. Construction work will begin on or before May 1, 1931 _____
- 14. Construction work will be completed on or before June 1, 1931 _____
- 15. The water will be completely applied to the proposed use on or before July 1, 1931 _____

Hood River Laundry Co.
(Name of applicant)
A. F. Adams, Pres.

Signed in the presence of us as witnesses:

- (1) W. R. Crow _____, Hood River, Oregon _____
(Name) (Address of witness)
- (2) Vera Youngstedt _____, " " _____
(Name) (Address of witness)

Remarks: This water is to be used for the Steam Laundry.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 193_____

WITNESS my hand this _____ day of _____, 193_____

STATE ENGINEER

Application No. 14470

Permit No. 10497

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23rd day of January

1932, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

May 16, 1932

Recorded in book No. 35 of Permits on page 10497

CHAS. E. STRICKLIN STATE ENGINEER

4--70 g \$10.00

STATE OF OREGON, } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.10 cubic feet per second, or its equivalent in case of rotation with other water users, from Overflow from City Reservoir, tributary of Columbia River.

The use to which this water is to be applied is Laundry purposes.

If for irrigation, this appropriation shall be limited to * * * * of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 23, 1932.

Actual construction work shall begin on or before May 16, 1933 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1934

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1935

WITNESS my hand this 16th day of May, 1932

CHAS. E. STRICKLIN STATE ENGINEER

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.