

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, A. J. Noble of Prineville, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Crooked River, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.88 cubic feet per second.

**3. The use to which the water is to be applied is irrigation

4. The point of diversion is located 895 ft. South and 82 ft. West from the S.E. corner of SW 1/4 of Section 15, Tp. 17 S., R. 22 E., W.M.

being within the NW 1/4 NE 1/4 of Sec. 22, Tp. 17 S., R. 22 E., W. M., in the county of Crook

5. The Main ditch to be five miles in length, terminating in the SE 1/4 SE 1/4 of Sec. 12, Tp. 17 S., R. 21 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 5 feet, length on top 70 feet, length at bottom 70 feet; material to be used and character of construction Rock and Brush

(b) Description of headgate timber

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated. ** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

10511 (a)

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 12 feet; width on bottom 9 feet; depth of water 3 feet; grade .35 feet fall per one thousand feet.

(b) At 2 miles from headgate: width on top (at water line) 10 feet; width on bottom 7 feet; depth of water 18 inches; grade .35 feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 17 S, 21 E, 12, SW 1/4 NE 1/4, 30. Row 2: SE 1/4 NE 1/4, 20. Row 3: NE 1/4 SE 1/4, 10. Row 4: SE 1/4 SE 1/4, 10. Total: 70.

(If more space required, attach separate sheet)

(a) Character of soil Sandy Loam

(b) Kind of crops raised Alfalfa and grass and grain crops.

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

, Sec., Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
 - 12. Construction work will begin on or before now completed
 - 13. Construction work will be completed on or before now completed
 - 14. The water will be completely applied to the proposed use on or before
- Earliest convenience.....

A. J. Noble
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) Roy Burt.....
(Name) (Address of witness)
- (2)
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application; together with the accompanying maps and data, and return the same for

Completion and signature

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 5, 1932, 193.....

WITNESS my hand this 5th day of March, 1932...

CHAS. E. STRICKLIN
EL STATE ENGINEER

Application No. 14506

Permit No. 10511

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 2nd day of March

1932, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

May 16, 1932

Recorded in book No. 35 of Permits on page 10511

CHAS. E. STRICKLIN

STATE ENGINEER

5--100 c

\$15.50 PERMIT

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.88 cubic feet per second, or its equivalent in case of rotation with other water users, from Crooked River.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 2, 1932

Actual construction work shall begin on or before May 16, 1933 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before

Oct. 1, 1934 Extended to Oct. 1, 1936 Extended to Oct. 1, 1937 Extended to Oct. 1, 1938 Extended to Oct. 1, 1939 Extended to Oct. 1, 1940 Extended to Oct. 1, 1941 Extended to Oct. 1, 1942 Extended to Oct. 1, 1943 Extended to Oct. 1, 1944 Extended to Oct. 1, 1945 Extended to Oct. 1, 1946 Extended to Oct. 1, 1947

Complete application of the water to the proposed use shall be made on or before

Oct. 1, 1935 Extended to Oct. 1, 1936 Extended to Oct. 1, 1937 Extended to Oct. 1, 1938 Extended to Oct. 1, 1939 Extended to Oct. 1, 1940 Extended to Oct. 1, 1941 Extended to Oct. 1, 1942 Extended to Oct. 1, 1943 Extended to Oct. 1, 1944 Extended to Oct. 1, 1945 Extended to Oct. 1, 1946 Extended to Oct. 1, 1947

WITNESS my hand this 16th day of May, 1932

CHAS. E. STRICKLIN

STATE ENGINEER