

*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Guy E. Bellingham (Name of applicant) of Birkenfeld (Postoffice), County of Columbia, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is a spring (Name of stream) The Nehalem River, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.1 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic Supplies (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1500 ft. South and 2300 ft. East from the N.W. corner of section 20 Township 6 North, Range 5 West of W. M. (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.) being within the SE 1/4 NW 1/4 of Sec. 20, Tp. 6 North, R. 5 West, W. M., in the county of Columbia (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The Pipe line (Main ditch, canal or pipe line) to be 2000 feet (Miles or feet) in length, terminating in the SW 1/4 of the NW 1/4 of Sec. 20, Tp. 6 north, R. 5 West, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 3 ft. feet, length on top 6 ft. feet, length at bottom 6 feet; material to be used and character of construction lumber crib waste thru pipe near top (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate none (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description none (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2000 ft.; size at intake, 1 1/4" in.; size at ft. from intake 1 1/4" in.; size at place of use 1/2" in.; difference in elevation between intake and place of use, 30 ft. Is grade uniform? Yes Estimated capacity, 0.1 sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 6 N., 5 W, 20, SW 1/4 NW 1/4, Domestic

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied three (3)

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 100.00

12. Construction work will begin on or before June 1, 1932 on improvement

13. Construction work will be completed on or before Pipe line is now constructed

14. The water will be completely applied to the proposed use on or before

Water has been used from this source for 8 years

State of Oregon) ss
County of Columbia)

Guy E. Bellingham
(Signature of applicant)
John Nelson

Signed and certified before me this
31st day of March 1932.

Notary Public for Oregon

My commission expires Jan. 28, 1934.

Signed in the presence of us as witnesses:

(1) Harry M. Saxton
(Name)

Birkenfeld, Oregon
(Address of witness)

(2) P. N. Stalings
(Name)

Birkenfeld, Oregon
(Address of witness)

Remarks:

STATE OF OREGON,)
County of Marion,) ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion and balance of fees

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 5, 1932

WITNESS my hand this 5th day of April, 1932

CHAS. E. STRICKLIN
LN. STATE ENGINEER

Application No. 14537

Permit No. 10595

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2nd day of April 1932, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved: August 5, 1932

Recorded in book No. 35 of Permits on page 10595

CHAS. E. STRICKLIN STATE ENGINEER

D.B.No. 1 P-5A Fees Paid \$10.00

STATE OF OREGON,) County of Marion,) ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.1 cubic feet per second, or its equivalent in case of rotation with other water users, from an unnamed spring, tributary of the Nehalem River

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to *** of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 2, 1932

Actual construction work shall begin on or before August 5, 1933 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1934

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1935.

WITNESS my hand this 5th day of August, 1932

CHAS. E. STRICKLIN

STATE ENGINEER