

SUPERSEDED
CERTIFICATE NO. 47346

CERTIFICATE NO. 11376

***APPLICATION FOR A PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, Stimson Lumber Co. (Name of applicant)
of R.F.D.#1 Gaston, County of Washington,
(Postoffice)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation May 9, 1931
Hillsboro, Oregon

1. The source of the proposed appropriation is Scoggins Creek (Name of stream)
a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is eight (8)
cubic feet per second. 6 second feet returned to creek
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is the manufacture of lumber
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1000 ft. North and 500 ft. East from the S.W.
(N. or S.) (E. or W.)
corner of Section 21.
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)
being within the (SW¹/₄ SW¹/₄) Southwest quarter (SW¹/₄) of Sec. 21, Tp. 1 South,
(Give smallest legal subdivision) (N. or S.)
R. 4 West, W. M., in the county of Washington.
(E. or W.)

5. The pipe line to be not to exceed 1400 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NE¹/₄ SW¹/₄ of Sec. 21, Tp. 4 S.,
(Smallest legal subdivision) (N. or S.)
R. 4 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam none feet, length on top none feet, length at bottom
none feet; material to be used and character of construction none
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate none
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Ultimately three centrifugal pumps,
(Size and type of pump)
each 25 foot head 1500 gal. capacity, driven by 25 HP. motor.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before Mar. 1, 1933.....

Stimson Lumber Co.
(Signature of applicant)
By Harold A. Miller, Sec.-Treas.

Signed in the presence of us as witnesses:

- (1) F. L. Hoskins, 14 Park St., Forest Grove, Oregon.
(Name) (Address of witness)
- (2) Hiram H. Scott.
(Name) (Address of witness)

Remarks: This water will be used for the generation of steam, condensing
and cooling purposes and for fire protection. After this use is made of it a larger
portion of the water will be discharged into a log pond and with the exception of
(maximum of) 2 second feet will be returned to the stream within the confines of
the Stimson Lumber Co.'s property unpolluted.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application; together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No.....14535...

Permit No.....10633...

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No..... District No.....

*This instrument was first received in the
office of the State Engineer at Salem, Oregon,*

on the 1st..... day of April.....

1932., at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

November 10, 1932.

Recorded in book No. 36 of
Permits on page 10633.

CHAS. E. STRICKLIN

STATE ENGINEER

2--- 43 K

\$17.00 PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 8.0 cubic feet per second, or its equivalent in case of rotation with other water users, from Scoggins Creek, tributary of Tualatin River.

The use to which this water is to be applied is Lumber manufacturing.

If for irrigation, this appropriation shall be limited to * * * of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 1, 1932.

Actual construction work shall begin on or before November 10, 1933 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1934

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1935

WITNESS my hand this 10th day of November, 1932.

CHAS. E. STRICKLIN

STATE ENGINEER