*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

State of	I,	Ray E. Davis	(Name of applicant)
State of	of	Blodgett	
following described public waters of the State of Oregon, subject to existing rights: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is		(Postoffice)	·
1. The source of the proposed appropriation is			
1. The source of the proposed appropriation is	ollowing	described public waters of t	the State of Oregon, subject to existing rights:
1. The source of the proposed appropriation is	If a	the applicant is a corporation	
within the SWL No. of S. The main ditches (Main dich, canal or pipe line) 1. The main ditches (Main dich, canal or pipe line) 1. The main ditches (Main dich, canal or pipe line) 2. The main ditches (Main dich, canal or pipe line) 3. The main ditches (Main dich, canal or pipe line) 3. The main ditches (Main dich, canal or pipe line) 3. The main ditches (Main dich, canal or pipe line) 3. The main ditches (Main dich, canal or pipe line) 3. The main ditches (Main dich, canal or pipe line) 4. The point of diversion is located for more point of diversion, each must be described. Use separate sheet if necessary.) 3. The main ditches (Main dich, canal or pipe line) 5. The main ditches (Main dich, canal or pipe line) 6. (An indich, canal or pipe line) 6. (An indich, canal or pipe line) 6. (An indich of dam none) 6. (An indich none) 6. (An indic			appropriation is South Fork of Marys River. (Name of stream)
portable pumping plant to be moved from one point 4. The point of diversion is located	2.	The amount of water which	the applicant intends to apply to beneficial use is 1
portable pumping plant to be moved from one point 4. The point of diversion is located	ubic feet	per second	
(Irrigation, power, mining, manufacturing, domestic supplies, etc.) portable pumping plant to be moved from one poin 4. The point of diversion is locatedft(N. or S.)			
portable pumping plant to be moved from one point fit. (K. or S.) from the fit. (K. or S.) from		The use to which the water	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary.) Deing within the SW1 NW4 Of Sec. 26 , Tp. 11 S. (Give smallest legal subdivision)			portable pumping plant to be moved from one point ated
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.) Description of the SW1 NW1 NW1 NW1 NW1 NW1 NW1 NW1 NW1 NW1 N	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		(Section or subdivision)
peing within the SW4 NW4 (Give smallest legal subdivision) of Sec. 26 , Tp. 11 S (N. or S.) R. 7. W		(If prefe	
R. 7 W. M., in the county of Benton 5. The main ditches (Main ditch, canal or pipe line) (In length, terminating in the SW Note of SW Note of Sec. 26 (Miles of feet) (In length, terminating in the SW Note of SW Note of Sec. 26 (Miles of feet) (In length, terminating in the SW Note of SW Note of Sec. 26 (Miles of feet) (In length, terminating in the SW Note of SW Note of Sec. 26 (Miles of feet) (In length, terminating in the SW Note of SW Not	•••••	The state of the s	
R. 7 W. M., in the county of Benton 5. The main ditches to be 800 feet (Miles or feet) In length, terminating in the SW 1 NW 1 (Smallest legal subdivision) R. 7 W (E. or W.) DESCRIPTION OF WORKS DIVERSION WORKS— 6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry) Cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate none (c) If water is to be pumped give general description .5." Centrifugal pump, with gas eng. (Size and type of pump)	eing wit	hin the SW_4^1 NW_4^1 (Give smalle	of Sec. 26 , Tp. 11 S , (N. or S.)
5. The	R7W		
(Main ditch, canal or pipe line) In length, terminating in the SW1 NW1 (Smallest legal subdivision) R. 7 W (Smallest legal subdivision) DESCRIPTION OF WORKS OIVERSION WORKS OIVERSION WORKS 6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry ock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate none (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description .6. Centrifugal pump with gas eng. (Size and type of pump)	•	The main ditches	s to be 800 feet
DESCRIPTION OF WORKS OIVERSION WORKS— 6. (a) Height of damnone feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate none (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description .S."_centrifugal_pump.with_gas_eng. (Size and type of pump)		(Main d	litch, canal or pipe line) (Miles or feet)
DESCRIPTION OF WORKS OIVERSION WORKS— 6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry ock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate none (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description .6." Centrifugal plump with gas eng. (Size and type of pump)	n iength, - 7 M	terminating in the	(Smallest legal subdivision) (N. or S.)
OIVERSION WORKS— 6. (a) Height of damnone	(E. or	, W . M ., the proposed W .	ocation being shown throughout on the accompanying map.
6. (a) Height of dam		I	DESCRIPTION OF WORKS
feet; material to be used and character of construction (Loose rock, concrete, masonry, ock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	Diversion	N Works—	
(Loose rock, concrete, masonry ock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate none (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description .6." centrifugal pump. with gas. eng. (Size and type of pump)	6.	(a) Height of dam .none	feet, length on top feet, length at bottom
(Loose rock, concrete, masonry ock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate none (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description .6." centrifugal pump. with gas. eng. (Size and type of pump)		feet: material to be use	ed and character of construction
(b) Description of headgate			(Loose rock, concrete, masonry,
(b) Description of headgatenone			d dam)
(c) If water is to be pumped give general description .6" centrifugal pump.with gas eng. (Size and type of pump)) Description of headgate	NONE (Timber, concrete, etc., number and size of openings)
ounted on skids. Proposed to pump 800 to 900 gallons per minute.) If water is to be pumped g	give general description .6" centrifugal pump with gas engin
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	ounted o		

^{*} A different form of application is provided where storage works are contemplated.

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer Salem, Oregon.

	feet; depth of	water	feet; grade	feet fall per or
housand feet.			•	
,				er line)
· · · · · · · · · · · · · · · · · · ·	feet; width on	bottom	feet; depth of	water fee
rade				
(c) Lengt	h of pipe,	ft.; s	ize at intake,SEE REMA	RKS . in.; size at
rom intake	in.: s	rize at place of	usein.: d	ifference in elevation betwe
				Estimated capacit
			grade and orm:	13800 marca capaco
1			place of use	Number Acres
Township	Range	Section	Forty-acre Tract	To Be Irrigated
11 S	7 W	26	SW_{4}^{1} NW_{4}^{1}	11
			•••••••••••••••••••••••••••••••••••••••	
				· ·
			·····	. ·
		,		
			·····	
		:		
			equired, attach separate sheet)	
(a) Chara	icter of soil			
	•			
		LEGING	otovereorpasture	······································
OWER OR MINING				
9. (a) To	otal amount of p	ower to be de	veloped	theoretical horsepow
		-	or power	sec. ft.
(c) To	otal fall to be uti	lized	(Head)	
(d) T	he nature of the	works by med	ins of which the power is t	o be developed
(a) 5a	ich anomlic to be	loomted in		of Con
(e) Si	cn works to be	iocatea in	(Legal subdivision)	of Sec
(No. N. or S.)	, R(No. E. or	(W.)		
(f) Is	water to be ret	turned to any	stream?(Yes or No)	
(g) If	so, name stream	m and locate p	oint of return	· .
				.), R, W.
			(No. N. or S	.) (No. E. or W.)
			e applied is	
(h) Ti	he use to which	power is to be	e applied is	

STATE ENGINEER

10. (a) To supply the city of	
	resent population of
and an estimated population of	in 193
(b) If for domestic use state number	of families to be supplied
(Answer questions 1)	1, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$	300.00
	eforeMay 1, 1933
	on or before December 1, 1935
14. The water will be completely applied	to the proposed use on or before December 1, 1935
	Ray E. Davis (Signature of applicant)
	3
Signed in the presence of us as witnesses:	
(1) W. S. Averill (Name)	Corvallis, Oregon. (Address of witness)
	tt tt (Address of witness)
	imp. and engine on skids and to pump into a
ditch from the west side of the 8-acre t	tract and on the west side of the 3-acre
tract. This pump will be connected with	the ditch by pipe or flexible hose, and
its location will vary somewhat depending	ng on height of water. It is also planned
	Ly. 100 feet west of the railroad tract,
	and carrying the water up over the land
	struction work will start by plowing, levellin
	and ditch will not be installed until after
	The state of the s
STATE OF OREGON,	
88.	
County of Marion,	
This is to certify that I have examined the	foregoing application, together with the accompanying
maps and data, and return the same for	
	olication must be returned to the State Engineer, with
corrections on or before	, 193
WITNESS my hand this day	of, 193

PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No 1	District No		
	This instrument was office of the State Engine			
	on thelst day of			
	1932, at 8:00 o'cle	ockAM.		
•	Returned to applicant:			
	Corrected application re	ceived:		
	Approved:			
	December 31, 1932			
	Recorded in book No.			
	Permits on page 1077	4	٠.	
	CHAS. E. STRIC			
	226 b \$9.50	STATE ENGINEER		·
STATE OF OREGON,	PERMI	T		
County of Marion,				
• , ,	at I have examined the fore	going application and	do hereby grai	nt the same.
subject to the following lin		86 upp		20 0000 200000
The wight housin and	nted is limited to the emou	nt of water which com	he enulied to b	amaficial was
	nted is limited to the amou measure			
and shall not exceed .0.14.	cubic feet per sec	ond/or its equivalent i	in case of rotatio	n with other
water users, fromSour	th Fork of Marys River			
The use to which thi	is water is to be applied is.	irrigation		
If for irrigation this	s appropriation shall be lim	sited to 1/80th	of one c	thic foot per
second or its equivalent for				· -
as may be ordered by the r		•		
The priority date of	this permit is December	1, 1932		
	work shall begin on or befo	·		
thereafter be prosecuted wi	Extended to O-1 4	be completed on or be	efore	
October 1, 1934	Extended to Oct. 1, 1938			
Complete application	of the water to the propos	ed use shall be made o	on or before	
October 1, 1935	Extended to Oct. 1, 1936 Extended to Oct. 1, 1937	•		
WITNESS my hand	this 31st day of	December	, 193.2	
		CHAS E STRICKI		E ENGINEER
Permits for power developme	ent are subject to the payment of annu	al fees as provided in section 47	-1701, Oregon Code 198	0.