

CERTIFICATE NO. 10131

## \*APPLICATION FOR A PERMIT

## To Appropriately the Public Waters of the State of Oregon

I, D. P. Slater  
 of 744 N. Capitol St., Salem, County of Marion  
 State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Mill Creek  
 a tributary of Willamette
2. The amount of water which the applicant intends to apply to beneficial use is 0.01  
 cubic feet per second.  
 (If water is to be used from more than one source, give quantity from each)
- \* 3. The use to which the water is to be applied is irrigation (lawn)  
 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located ft. and ft. from the  
 corner of At the intersection of N. Mill Creek and N. Capitol Street in the City of Salem.  
 (If preferable, give distance and bearing to section corner)
- being within the NE 1/4 SW 1/4 of Sec. 23, Tp. 7 S  
 R. 3 W, W. M., in the county of Marion  
 (Give smallest legal subdivision) (N. or S.) (E. or W.)
5. The pipe lines to be 300'  
 in length, terminating in the SE 1/4 NW 1/4 of Sec. 23, Tp. 7 S  
 R. 3 W, W. M., the proposed location being shown throughout on the accompanying map.  
 (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N. or S.) (E. or W.)

## DESCRIPTION OF WORKS

## DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Electric centrifugal  
 capacity 45 g.p.m.  
 (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

(c) Length of pipe, 300 ft.; size at intake, 2" in.; size at varies ft.  
from intake varies in.; size at place of use 1/2" in.; difference in elevation between  
intake and place of use, ft. Is grade uniform? Estimated capacity,  
sec. ft.

[illegible]

(b) *Kind of crops raised* .....

(d) *The nature of the works by means of which the power is to be developed* .....

(i) *The nature of the mines to be served* .....

## MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of \_\_\_\_\_  
 \_\_\_\_\_ County, having a present population of \_\_\_\_\_  
 (Name of)  
 and an estimated population of \_\_\_\_\_ in 193.....

(b) If for domestic use state number of families to be supplied \_\_\_\_\_ 1

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 400.00 \_\_\_\_\_  
 12. Construction work will begin on or before \_\_\_\_\_ One year after approval \_\_\_\_\_  
 13. Construction work will be completed on or before \_\_\_\_\_ Two years \_\_\_\_\_  
 14. The water will be completely applied to the proposed use on or before \_\_\_\_\_ Three years..

\_\_\_\_\_ D. P. Slater \_\_\_\_\_  
 (Signature of applicant)

Signed in the presence of us as witnesses:

(1) \_\_\_\_\_ V. S. Bovelie \_\_\_\_\_ Salem \_\_\_\_\_  
 (Name) (Address of witness)  
 (2) \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_  
 (Name) (Address of witness)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 193.....

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 193.....

STATE ENGINEER

Application No. 14824

Permit No. 10776

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. District No.

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,

on the 5th day of December

1932, at 9:30 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

December 21, 1932

Recorded in book No. 36 of  
Permits on page 10776

CHAS. E. STRICKLIN  
STATE ENGINEER

2--45 S

\$9.50 PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,  
subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use  
and shall not exceed 0.01 cubic feet per second, measured at the point of diversion from the stream,  
water users, from North Mill Creek

The use to which this water is to be applied is garden irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per  
second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system  
as may be ordered by the proper state officer.

The priority date of this permit is December 5, 1932

Actual construction work shall begin on or before December 31, 1933 and shall  
thereafter be prosecuted with reasonable diligence and be completed on or before  
October 1, 1934

Complete application of the water to the proposed use shall be made on or before  
October 1, 1935

WITNESS my hand this 31st day of December, 1932

CHAS. E. STRICKLIN  
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in section 47-1701, Oregon Code 1930.