

CERTIFICATE NO. 13685

\*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Walter A. Holt of Pendleton, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Wild Horse Creek, a tributary of Umatilla River

2. The amount of water which the applicant intends to apply to beneficial use is 0.45 cubic feet per second. maximum available

\*\*3. The use to which the water is to be applied is irrigation

4. The point of diversion is located ft. and ft. from the corner of portable pump to be moved up and down stream

being within the northeast quarter of Sec. one, Tp. two north, R. 32 E., W. M., in the county of Umatilla

5. The to be in length, terminating in the of Sec., Tp., R., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description Three inch centrifugal pump, five horse electric motor, twenty-four foot head maximum.

\* A different form of application is provided where storage works are contemplated. \*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, variable ft.; size at intake, six in.; size at ..... ft. from intake ..... in.; size at place of use six in.; difference in elevation between intake and place of use, 0 to 24 ft. Is grade uniform? no Estimated capacity, 8/9 sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Data includes Township 2 N, Range 32 E, Section 1, and various 40-acre tracts (NE 1/4, SE 1/4, SW 1/4) with corresponding acreage (6.2, 13.8, 7.5, 27.5).

(If more space required, attach separate sheet)

(a) Character of soil Silt loam

(b) Kind of crops raised alfalfa, corn, hay and pasture crops, small fruits and vegetables.

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec. (Legal subdivision)

Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec. ...., Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of) and an estimated population of ..... in 193.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 425.00.....
- 12. Construction work will begin on or before immediately after permit issued.....
- 13. Construction work will be completed on or before approximately 30 days from beginning.....
- 14. The water will be completely applied to the proposed use on or before 3 years from date.....

..... Walter A. Holt  
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) Harold W. Dobyms ..... Pendleton, Oregon  
(Name) (Address of witness)
- (2) Elsie M. Rogers ..... " "  
(Name) (Address of witness)

Remarks The layout of the proposed irrigation system is as follows: pump the water from Wild Horse Creek by means of an electric motor, possibly a portable gasoline engine, the principal distribution to be made from an installation on the creek at the east side near the center of the southeast forty of the quarter section. A second installation would be made on the creek at or near the northeast corner of the same forty. A third installation would take the water from the creek near the west side of the same forty as mentioned in both cases above. Pipe will be laid underground for principal installation between pump and point of discharge.....

STATE OF OREGON, )  
County of Marion, ) ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....  
completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 23....., 1933...

WITNESS my hand this 21st day of February....., 1933...

..... CHAS. E. STRICKLIN.....  
STATE ENGINEER

EL

Application No. 14860

Permit No. 10823

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 18th day of February,

1933, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

April 15, 1933

Recorded in book No. 36 of Permits on page 10823

CHAS. E. STRICKLIN

STATE ENGINEER

7--179 B

\$9.50

STATE OF OREGON, ) ss. County of Marion, )

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use measured at the point of diversion from the stream, and shall not exceed 0.34 cubic feet per second, or its equivalent in case of rotation with other water users, from Wild Horse Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall not exceed 3 acre feet per acre per season, and shall be subject to such reasonable rotation system as may be ordered by the proper State officer.

The priority date of this permit is February 18, 1933

Actual construction work shall begin on or before April 15, 1934 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

Oct. 1, 1935 Extended to Oct. 1, 1936 Extended to Oct. 1, 1938 Extended to Oct. 1, 1940

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1936 Extended to Oct. 1, 1937 Extended to Oct. 1, 1938 Extended to Oct. 1, 1940

WITNESS my hand this 15th day of April, 1933

CHAS. E. STRICKLIN

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in section 47-1701, Oregon Code 1930.