

CERTIFICATE NO. 12065

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Helen Graham (Name of applicant)
 of Oregon City, Oregon, R#2, Box 139 (Postoffice), County of Clackamas,
 State of Oregon, do hereby make application for a permit to appropriate the
 following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is two unnamed creeks (Name of stream)
A & B, a tributary of Clear Creek

2. The amount of water which the applicant intends to apply to beneficial use is 2/5 sec. ft.
cubic feet per second. 1/10 A. and 3/10 B.
 (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located A-2000 S 700 E NW
B-2000 ft. N and 1500 ft. E from the SW
 (N. or S.) (E. or W.)
 corner of Sec. 3.
 (Section or subdivision)
 (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)
 being within the SW 1/4 NW 1/4 & NE 1/4 SW 1/4 of Sec. 3, Tp. 3 S
 (Give smallest legal subdivision) (N. or S.)

R. 3 E, W. M., in the county of Clackamas A- 600 ft. long
 (E. or W.)

5. The Main ditches to be B-2000 ft. long
 (Main ditch, canal or pipe line) (Miles or feet)
 in length, terminating in the SW 1/4 NW 1/4; NW 1/4 SW 1/4; SE 1/4 SW 1/4 of Sec. 3, Tp. 3 S
 (Smallest legal subdivision) (N. or S.)

R. 3 E, W. M., the proposed location being shown throughout on the accompanying map.
 (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—
both

6. (a) Height of dams 2 feet, length on top 4 feet, length at bottom
2 feet; material to be used and character of construction loose rock and dirt -
 (Loose rock, concrete, masonry,
 Dam to be removed when irrigation is complete each time.
 rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
 (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
 (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
 County, having a present population of
 (Name of)
 and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 300.00
12. Construction work will begin on or before April 15, 1933
13. Construction work will be completed on or before April 15, 1937
14. The water will be completely applied to the proposed use on or before April 15, 1937..

Helen Graham

(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) LeRoy C. Wright Oregon City, Oregon
 (Name) (Address of witness)
- (2) Martha Moser Oregon City, Oregon, Rt. 2.
 (Name) (Address of witness)

Remarks:

STATE OF OREGON,)
) ss.
 County of Marion,)

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

Signature

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 7, 1933.

WITNESS my hand this 7th day of March, 1933.

CHAS. E. STRICKLIN

EL

STATE ENGINEER

Application No. 14871

Permit No. 10829

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,

on the 4th day of March,

1933, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

April 15, 1933

Recorded in book No. 36 of
Permits on page 10829.

CHAS. E. STRICKLIN

STATE ENGINEER

2—20 D

STATE OF OREGON,)
County of Marion,) ss.

\$9.50 PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,
subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
measured at the point of diversion from the stream,
and shall not exceed 0.36 cubic feet per second/or its equivalent in case of rotation with other
water users, from two unnamed creeks--0.1 s.f. from diversion A, & 0.26 from diversion B.

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system
as may be ordered by the proper state officer.

The priority date of this permit is March 4, 1933.

Actual construction work shall begin on or before April 15, 1934 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before

Oct. 1, 1935 Extended to Oct. 1, 1936
Extended to Oct. 1, 1937

Complete application of the water to the proposed use shall be made on or before

Oct. 1, 1936 Extended to Oct. 1, 1937

WITNESS my hand this 15th day of April, 1933.

CHAS. E. STRICKLIN

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in section 47-1701, Oregon Code 1930.