

*** APPLICATION FOR A PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, G. E. High (Name of applicant)
of Vale (Postoffice), County of Malheur,
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed springs (Name of stream)
....., a tributary of Willow Creek Water Shed

2. The amount of water which the applicant intends to apply to beneficial use is

cubic feet per second. one second foot
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation and domestic use
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. (N. or S.) and ft. (E. or W.)
from the corner of S. 42 degrees West 1100 ft. NE corner Sec. 1, Twp. 18 S., R. 44 E.W.M.
(Section or subdivision) of NW⁴ NE⁴
(If preferable, give distance and bearing to Sec. Cor.) See Folder
(If there are more than one points of diversion, each must be described. Use separate sheet if necessary)

being within the ~~(NE⁴ NE⁴)~~ NW⁴ NE⁴ of Sec. 1, Tp. 18 S,
(Give smallest legal subdivision) (No. N. or S.)
R. 44 E., W. M., in the county of Malheur
(No. E. or W.)

5. The pipe line (Main ditch, canal or pipe line) to be 2640 ft. (No. miles or feet)
in length, terminating in the NW⁴ NE⁴ of Sec. 6, Tp. 18 S,
(Smallest legal subdivision) (No. N. or S.)
R. 45 E., W. M., the proposed location being shown throughout on the accompanying map.
(No. E. or W.)

6. The name of the ditch, canal or other works is High Pipe Line

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam none feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate none (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(Answer questions 12, 13, 14 and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 500.00.....
- 13. Construction work will begin on or before June 1, 1933.....
- 14. Construction work will be completed on or before October 1, 1934.....
- 15. The water will be completely applied to the proposed use on or before October 1, 1935.....

..... G. E. High
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) H. G. Kennard Vale, Oregon
(Name) (Address of witness)
- (2) Frances McHargue Vale, Oregon
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 14874

Permit No. 10850

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of March, 1933, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

June 10, 1933

Recorded in book No. 36 of Permits on page 10850

CHAS. E. STRICKLIN

STATE ENGINEER

10--272 C

\$14.50

STATE OF OREGON, } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.3 cubic feet per second, measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed springs, tributary of Willow Creek watershed.

The use to which this water is to be applied is irrigation and domestic

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second until May 1st and thereafter during the remainder of the irrigation season not to exceed 1/80th of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper State officer.

The priority date of this permit is March 10, 1933

Actual construction work shall begin on or before June 10, 1934 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1935

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1936

WITNESS my hand this 10th day of June, 1933

CHAS. E. STRICKLIN

STATE ENGINEER

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.