

CERTIFICATE NO. 11157

***APPLICATION FOR A PERMIT**

To appropriate the Public Waters of the State of Oregon

I, Mars F. Slack and W. C. McLean
(Name of applicant)
of Glide
(Postoffice), County of Douglas,
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed stream
(Name of stream), a tributary of North Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.1
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation and domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 900 ft. S and 200 ft. E from the
(N. or S.) (E. or W.)
corner of 1/4 sec. corner between Secs. 10 and 11 T. 26 S., R. 3 W. W.M.
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)
being within the NW 1/4 SW 1/4 of Sec. 11, Tp. 26 S,
(Give smallest legal subdivision) (N. or S.)
R. 3 W, W. M., in the county of Douglas
(E. or W.)

5. The pipe line to be 1800
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE 1/4 NE 1/4 of Sec. 10, Tp. 26 S,
(Smallest legal subdivision) (N. or S.)
R. 3 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 2 feet, length on top 4 feet, length at bottom 3 feet; material to be used and character of construction concrete
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.
** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied 2 families

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$..... 250.00
- 12. Construction work will begin on or before May 1, 1934
- 13. Construction work will be completed on or before May 1, 1936
- 14. The water will be completely applied to the proposed use on or before May 1, 1936

Mars E. Slack
(Signature of applicant)

W. C. McLean

Signed in the presence of us as witnesses:

- (1) Ben B. Irving Roseburg, Oregon
(Name) (Address of witness)
- (2) J. O. Watson Roseburg, Oregon
(Name) (Address of witness)

Remarks: during construction it may be that 1" or 1 1/4" pipe will be
installed in the upper reaches.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for
..... completion and balance of fees.

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before June 3 1933.

WITNESS my hand this 3rd day of May 1933.

CHAS. E. STRICKLIN
EL STATE ENGINEER

Application No. 14901

Permit No. 10861

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 14th day of April

1933, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

June 10, 1933

Recorded in book No. 37 of Permits on page 10861

CHAS. E. STRICKLIN STATE ENGINEER

16--394 -A

\$14.50

STATE OF OREGON, } ss. County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use measured at the point of diversion from the stream, and shall not exceed 0.1 cubic feet per second, or its equivalent in case of rotation with other water users, from unnamed stream

The use to which this water is to be applied is domestic and irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 14, 1933

Actual construction work shall begin on or before June 10, 1934 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1935

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1936

WITNESS my hand this 10th day of June, 1933

CHAS. E. STRICKLIN STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in section 47-1701, Oregon Code 1930.