

SUPERSEDED CERTIFICATE NO. 48253 + 48254

CERTIFICATE NO. 12241

\* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, R. L. Hammer & Co., by R. L. Hammer, Jr. of Selma, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Clear Creek, a tributary of Illinois River

2. The amount of water which the applicant intends to apply to beneficial use is 0.60 cubic feet per second.

3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 230 ft. N and 650 ft. W from the NW corner of Section 11, T. 38 S., R. 8 W., M.

being within the SE 1/4 SW 1/4 of Sec. 2, Tp. 38 S, R. 8 W., W. M., in the county of Josephine

5. The ditch to be 1/2 mile in length, terminating in the SE 1/4 NW 1/4 of Sec. 11, Tp. 38 S, R. 8 W., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is Hammer ditch

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 1 feet, length on top 20 feet, length at bottom 20 feet; material to be used and character of construction concrete dam. wasteway over top.

(b) Description of headgate Timber. One opening 1' x 1'

\* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 1.5 feet; width on bottom 1.0 feet; depth of water 0.5 feet; grade 4 feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of 30 acres, located in each smallest legal subdivision, as follows: .....

| Township    | Range      | Section   | Forty-acre Tract                     | Number Acres to be Irrigated |
|-------------|------------|-----------|--------------------------------------|------------------------------|
| <u>38 S</u> | <u>8 W</u> | <u>11</u> | <u>NE<sup>1</sup> NW<sup>1</sup></u> | <u>3</u>                     |
|             |            |           | <u>SE<sup>1</sup> NW<sup>1</sup></u> | <u>12</u>                    |
|             |            |           | <u>SW<sup>1</sup> NW<sup>1</sup></u> | <u>15</u>                    |
|             |            |           |                                      | <u>30</u>                    |
|             |            |           |                                      |                              |
|             |            |           |                                      |                              |
|             |            |           |                                      |                              |
|             |            |           |                                      |                              |
|             |            |           |                                      |                              |
|             |            |           |                                      |                              |
|             |            |           |                                      |                              |

(If more space required, attach separate sheet)

(a) Character of soil Gravelly Kerby Loam

(b) Kind of crops raised Alfalfa, pasture, garden

POWER OR MINING PURPOSES—

10. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal subdivision)

Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

MUNICIPAL SUPPLY—

11. To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 193.....

(Answer questions 12, 13, 14 and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 100.00 .....
- 13. Construction work will begin on or before Apr. 25, 1934 .....
- 14. Construction work will be completed on or before April 25, 1935 .....
- 15. The water will be completely applied to the proposed use on or before April 25, 1935 .....

R. L. Hammer & Co.  
.....  
(Name of applicant)

By R. L. Hammer, Jr. ....  
Selma, Oregon .....

Signed in the presence of us as witnesses:

- (1) A. Donley Barnes ..... Grants Pass, Oregon  
(Name) (Address of witness)
- (2) Marian Turner ..... Grants Pass, Oregon  
(Name) (Address of witness)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....  
..... Completion .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 29, 1933.

WITNESS my hand this 29th day of May, 1933.

CHAS. E. STRICKLIN  
.....  
STATE ENGINEER

Application No. 14911

Permit No. 10869

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of April, 1933, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

June 10, 1933 Recorded in book No. 37 of Permits on page 10869

CHAS. E. STRICKLIN STATE ENGINEER 15--577 H \$9.50

STATE OF OREGON, County of Marion, ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.6 cubic feet per second, or its equivalent in case of rotation with other water users, from Clear Creek, tributary of Illinois River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/50 of one cubic foot per second, or its equivalent, for each acre irrigated throughout the irrigation season from April 1, to November 1, of each year and shall be subject to such reasonable rotation system as may be ordered by the proper State officer.

The priority date of this permit is Apr. 27, 1933 for 0.38 s.f. & June 8, 1933 for 0.22 s.f.

Actual construction work shall begin on or before June 10, 1934 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1935

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1936

WITNESS my hand this 10th day of June, 1933

CHAS. E. STRICKLIN STATE ENGINEER

Permits for power development are subject to the limitation of franchise as provided in section 5728, Oregon Laws, and the payment of annual fees as provided in section 5803, Oregon Laws.