

*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, J. J. Killip (Name of applicant) of Astor Bldg., Astoria (Postoffice), County of Clatsop, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed spring (Name of stream), a tributary of Siletz River

2. The amount of water which the applicant intends to apply to beneficial use is 0.2 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is fish pond, garden irrigation, general beautification, manufacturing in fish station (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 60 ft. N. and 1320 ft. W. from the S 1/4 corner of Section 2 (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.) being within the SW 1/4 SW 1/4 of Sec. 2, Tp. 8 S, R. 11 W., W. M., in the county of Lincoln (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The ditch and pipe line to be 400' (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the NW 1/4 NW 1/4 of Sec. 11, Tp. 8 S, R. 11 W., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 3 feet, length on top 15 feet, length at bottom 15 feet; material to be used and character of construction Cobbles & concrete (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10877 (a)

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 2 feet; width on bottom 18 feet; depth of water 2" feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 200 (2 separate lines) ft.; size at intake, 3/4 in.; size at from intake in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 15 ft. Is grade uniform? yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 8 S, 11 W, 2, SW 1/4 SW 1/4, (blank). Row 2: (blank), (blank), 11, NW 1/4 NW 1/4, (blank).

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

, Sec., Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 100.00
- 12. Construction work will begin on or before 1 year after approval
- 13. Construction work will be completed on or before 2 years after approval
- 14. The water will be completely applied to the proposed use on or before 3 years after approval

J. J. Killip
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) V. S. Bovelie, Salem
(Name) (Address of witness)
- (2)
(Name) (Address of witness)

Remarks: Spring is located on property of applicant.

STATE OF OREGON,)
County of Marion,) ss.

This is to certify that I have examined the foregoing application; together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 14919

Permit No. 10877

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 5th day of May

1933, at 11:35 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

June 10, 1933

Recorded in book No. 37 of Permits on page 10877

CHAS. E. STRICKLIN STATE ENGINEER

18--416 - A

\$10.00

STATE OF OREGON, County of Marion, ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.2 cubic feet per second, or its equivalent in case of rotation with other water users, from an unnamed spring

The use to which this water is to be applied is fish pond, garden irrigation, general beautification, manufacturing in fish station.

If for irrigation, this appropriation shall be limited to *** of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 5, 1933

Actual construction work shall begin on or before June 10, 1934 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1935 Extended to Oct. 1, 1936

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1936

WITNESS my hand this 10th day of June, 1933

CHAS. E. STRICKLIN STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in section 47-1701, Oregon Code 1930.