

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Elva A. Hoeflein of Albany, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Bear Creek, a tributary of Willamette

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second.

**3. The use to which the water is to be applied is Stock and frog ponds

4. The point of diversion is located 1532.4 ft. S and 611.5 ft. W from the corner of Sections 7, 8, 17 & 18 in Tp. 19 S., R. 2 W. of W.M. being S. 21° 45' W. 1650 feet distant from N.E. Cor. of Sec. 17, Tp. 19 S., R. 2 W. W.M.

being within the SE 1/4 NE 1/4 of Sec. 18, Tp. 19 S., R. 2 W., W. M., in the county of Lane

5. The main ditch to be 1712 feet in length, terminating in the NE 1/4 NE 1/4 of Sec. 18, Tp. 19 S., R. 2 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction No dam required.

(b) Description of headgate

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated. ** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 1 1/2 to 2 feet; width on bottom one feet; depth of water 2 feet; grade 10 feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 19 S, 2 W, 18, NE 1/4 NE 1/4.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

, Sec. (No. N. or S.), Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 250.00
- 12. Construction work will begin on or before construction work completed
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before water has been used.

Elva A. Hoeflein
(Signature of applicant)

1205 Ferry Street

Albany, Ore.

Signed in the presence of us as witnesses:

- (1) W. C. Hoeflein Albany, Ore.
(Name) (Address of witness)
- (2) Max E. Rogers
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 14924

Permit No. 10879

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 10th day of MAY

1933, at 11:45 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

June 10, 1933

Recorded in book No. 37 of Permits on page 10879

CHAS. E. STRICKLIN

STATE ENGINEER

2--47-A

\$10.00

STATE OF OREGON,) ss. County of Marion,)

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use measured at the point of diversion from the stream, and shall not exceed 0.01 cubic feet per second, or its equivalent in case of rotation with other water users, from Bear Creek

The use to which this water is to be applied is stock, and frog ponds.

If for irrigation, this appropriation shall be limited to *** of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 10, 1933

Actual construction work shall begin on or before June 10, 1934 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1935

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1936

WITNESS my hand this 10th day of June, 1933

CHAS. E. STRICKLIN

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in section 47-1701, Oregon Code 1930.