

CERTIFICATE NO. 1158
49927

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Ed Woodcock (Name of applicant) of Takilma (Postoffice), County of Josephine, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Elder Creek and springs (Name of stream), a tributary of Illinois River

2. The amount of water which the applicant intends to apply to beneficial use is 0.31 cubic feet per second. 0.25 s.f. from Elder Creek and 0.06 s.f. from springs (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located (from Elder Creek) 180 ft. S and 150 ft. W from the NE corner of Section 26, T. 40 S., R. 8 W.W.M. Springs supplied from Little Elder Creek at a point which is 1800 ft. N. and 900 ft. E. from the S1/4 cor. Sec. 23, T. 40 S., R. 8 W.W.M. The diversion from springs is in the NW1/4 SE1/4 Sec. 23. The diversion from Elder Creek being within the NE1/4 NE1/4 of Sec. 26 (both), Tp. 40 S., R. 8 W., W. M., in the county of Josephine

5. The ditch (from Elder Cr.) to be 2000 feet in length, terminating in the SW1/4 SE1/4 of Sec. 23, Tp. 40 S., R. 8 W., W. M., the proposed location being shown throughout on the accompanying map. There is no ditch from Little Creek to springs. The development is sub-irrigation.

DESCRIPTION OF WORKS

DIVERSION WORKS—

for Elder Cr. 6. (a) Height of dam 2 feet, length on top 10 feet, length at bottom 10 feet; material to be used and character of construction Rock and earth. Wasteway over rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate Timber. One opening 1' x 1'

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated. ** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 1.5 feet; width on bottom 1.0 feet; depth of water 1.0 feet; grade 5 feet fall per one thousand feet.

(b) At ... miles from headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(c) Length of pipe, ... ft.; size at intake, ... in.; size at ... ft. from intake ... in.; size at place of use ... in.; difference in elevation between intake and place of use, ... ft. Is grade uniform? ... Estimated capacity, ... sec. ft.

8. Location of area to be irrigated, or place of use 25 acres

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Data includes Township 40 S, Range 8 W, Section 23, and tracts SE 1/4 SE 1/4 (2 acres), SW 1/4 SE 1/4 (17 acres), NW 1/4 SE 1/4 (6 acres).

(If more space required, attach separate sheet)

(a) Character of soil Kerby loam
(b) Kind of crops raised garden, pasture, hay

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed ... theoretical horsepower.
(b) Quantity of water to be used for power ... sec. ft.
(c) Total fall to be utilized ... feet. (Head)
(d) The nature of the works by means of which the power is to be developed ...
(e) Such works to be located in ... of Sec. ... (Legal subdivision)
Tp. ... R. ... W. M.
(f) Is water to be returned to any stream? ... (Yes or No)
(g) If so, name stream and locate point of return ... , Sec. ... , Tp. ... , R. ... , W. M.
(h) The use to which power is to be applied is ...
(i) The nature of the mines to be served ...

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....100.00 (repair)
- 12. Construction work will begin on or before May 25, 1934
- 13. Construction work will be completed on or before May 25, 1935
- 14. The water will be completely applied to the proposed use on or before May 25, 1935

Ed Woodcock
(Signature of applicant)

Takilma, Oregon

Signed in the presence of us as witnesses:

- (1) Mary Louise Neilson, Grants Pass, Oregon
(Name) (Address of witness)
- (2) W. T. Miller, Grants Pass, Oregon
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for
..... completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 29, 1935

WITNESS my hand this 29th day of May, 1935

CHAS. E. STRICKLIN
LN STATE ENGINEER

Application No. 14959

Permit No. 10895

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 26th day of May

1933, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

July 20, 1933

Recorded in book No. 37 of Permits on page 10895

CHAS. E. STRICKLIN STATE ENGINEER

15-377 H \$9.50

STATE OF OREGON,) County of Marion,) ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.31 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from 0.25 sec. ft. from Elder Cr. & 0.06 sec. ft. from springs.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/50th of one cubic foot per second, or its equivalent, for each acre irrigated throughout the irrigation season from April 1st, to November 1st of each year and shall be subject to such reasonable rotation system as may be ordered by the proper State officer.

The priority date of this permit is May 26, 1933

Actual construction work shall begin on or before July 20, 1934 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1935

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1936

WITNESS my hand this 20th day of July, 1933

CHAS. E. STRICKLIN STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in section 47-1701, Oregon Code 1980.