

*APPLICATION FOR A PERMIT CERTIFICATE NO. 14100

To appropriate the Public Waters of the State of Oregon

I, E. B. Piper (Name of applicant) of Route 3, Lebanon (Postoffice), County of Linn, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Hamilton Creek (Name of stream), a tributary of So. Santiam River

2. The amount of water which the applicant intends to apply to beneficial use is 0.38 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2170 ft. N and 2510 ft. E from the SW corner of Sec. 20 (N. or S.) (E. or W.) (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.) being within the #1 NE 1/4 SW 1/4 #2 NW 1/4 SE 1/4 of Sec. 20, Tp. 12 S (Give smallest legal subdivision) (N. or S.)

R. 1 W (E. or W.), W. M., in the county of Linn main pipe line from Pump #1 1000' 5. The " " " " " #2 to be 500' (Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the NE 1/4 SW 1/4 & SE 1/4 SW 1/4 of Sec. 20, Tp. 12 S (Smallest legal subdivision) (N. or S.) R. 1 W (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS— No dam required

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Two centrifugal pumps of such size as to adequately deliver water to the 30 acres. (May purchase one larger pump and move it from points one and two as necessary.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$... 350.00.....
- 12. Construction work will begin on or before ... July 1, 1934.....
- 13. Construction work will be completed on or before ... July 1, 1935.....
- 14. The water will be completely applied to the proposed use on or before July 1, 1936.....

E. R. Piper
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) Max F. Rogers,
(Name) (Address of witness)
- (2),
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 15066

Permit No. 10971

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 3rd day of August

1933, at 4:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

September 9, 1933

Recorded in book No. 37 of Permits on page 10971

CHAS. E. STRICKLIN STATE ENGINEER

2--34 A \$9.50

STATE OF OREGON,) ss. County of Marion,)

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use measured at the point of diversion from the stream, and shall not exceed 0.38 cubic feet per second, or its equivalent in case of rotation with other water users, from Hamilton Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 3, 1933

Actual construction work shall begin on or before September 9, 1934 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

Oct. 1, 1935 Extended to Oct. 1, 1936 Extended to Oct. 1, 1937 Extended to Oct. 1, 1938 Extended to Oct. 1, 1939

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1936 Extended to Oct. 1, 1937 Extended to Oct. 1, 1938 Extended to Oct. 1, 1939

WITNESS my hand this 9th day of September, 1933

CHAS. E. STRICKLIN STATE ENGINEER