

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Leroy Daley (Name of applicant)

of Route 3, Salem, County of Marion, State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is 2 unnamed springs (Name of stream)

a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.05 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic and garden irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located #1 400 ft. N. and 450 ft. E. from the S.W. corner of NW 1/4, NE 1/4 of Sec. 13, and #2 - 600' N. and 450' E. from same corner (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)

being within the NW 1/4, NE 1/4 of Sec. 13, Tp. 8 S, R. 4 W, W. M., in the county of Marion (Give smallest legal subdivision) (N. or S.)

5. The pipe line to be 500' - 600' in length, terminating in the NW 1/4, NE 1/4 of Sec. 13, Tp. 8 S, R. 4 W, W. M., the proposed location being shown throughout on the accompanying map. (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N. or S.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam None feet, length on top feet, length at bottom

feet; material to be used and character of construction (Loose rock, concrete, masonry)

Tank at springs rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

11009 (a)

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 5-600 ft.; size at intake, 2 in.; size at ft. from intake in.; size at place of use 2 in.; difference in elevation between intake and place of use, 100 ft. Is grade uniform? yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 8 S, 4 W, 13, NW 1/4 NE 1/4, NE 1/4 NW 1/4, Domestic and garden.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

....., R., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$...100.00.....
- 12. Construction work will begin on or before ...already begun.....
- 13. Construction work will be completed on or before Two years.....
- 14. The water will be completely applied to the proposed use on or before ...3 years.....

..... Leroy Daley
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) V. S. Bovelie Salem
(Name) (Address of witness)

(2) (Name) (Address of witness)

Remarks: ...Springs are on property of applicant.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application; together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 15073

Permit No. 11009

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 7th day of August

1933, at 10:50 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

October 28, 1933

Recorded in book No. 37 of Permits on page 11009

CHAS. E. STRICKLIN

STATE ENGINEER

2--45 T

\$10.00 PERMIT

STATE OF OREGON,) ss. County of Marion,)

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed .05 cubic feet per second, measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Two unnamed springs

The use to which this water is to be applied is domestic and garden irrigation

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 7, 1933

Actual construction work shall begin on or before October 28, 1934 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1935

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1936

WITNESS my hand this 28th day of October, 1933

CHAS. E. STRICKLIN

STATE ENGINEER