

***APPLICATION FOR A PERMIT**

To appropriate the Public Waters of the State of Oregon

I, City of Canby (Name of applicant)
of Canby, Oregon (Postoffice), County of Clackamas,
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed spring (Name of stream)
a tributary of Molalla River

2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. 0.5 second-foot
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic and municipal
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 850 ft. N. and 1730 ft. W. from the Southeast
corner of Sec. 32, T. 3 S., R. 1 E. W. M. (Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)
being within the SW 1/4 SE 1/4 of Sec. 32, Tp. 3 S,
(Give smallest legal subdivision) (N. or S.)
R. 1 E, W. M., in the county of Clackamas
(E. or W.)

5. The pipe line (Main ditch, canal or pipe line) to be 3070 feet (Miles or feet)
in length, terminating in the NW 1/4 SW 1/4 of Sec. 33, Tp. 3 S,
(Smallest legal subdivision) (N. or S.)
R. 1 E, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom
_____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry,
Small concrete intakes and pipes will convey water to a sump or collection basin
rock and brush, timber crib, etc., wasteway over or around dam)
from which it will be pumped.

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description about 250 g.p.m.
(Size and type of pump)
In one or two centrifugal pumps
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
40 H.P. total, power electric motor.

* A different form of application is provided where storage works are contemplated.
** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Application No. 15085

Permit No. 11011

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 16th day of August

1933, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

October 28, 1933

Recorded in book No. 37 of Permits on page 11011

CHAS. E. STRICKLIN STATE ENGINEER

2-30 B

\$10.00

STATE OF OREGON, County of Marion, ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.5 cubic feet per second, measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring

The use to which this water is to be applied is domestic and municipal

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 16, 1933

Actual construction work shall begin on or before October 28, 1934 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1935

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1936

WITNESS my hand this 28th day of October, 1933

CHAS. E. STRICKLIN STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in section 47-1701, Oregon Code 1930.