

*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Max Wilson (Name of applicant)
of Joseph, (Postoffice), County of Wallowa,
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed stream carrying seepage and
waste water from Farmers Water Ditch, and Silver Lake Ditch, (Name of stream)
a tributary of Wallowa River.

2. The amount of water which the applicant intends to apply to beneficial use is 2
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 50 ft. North and 200 ft. East from the SW
corner of NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 32, Tp. 2 S., R. 45 E. W. M. (N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)

being within the NE $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 32, Tp. 2 S.,
R. 45 E., W. M., in the county of Wallowa (Give smallest legal subdivision) (N. or S.)
(E. or W.)

5. The main ditch to be 500 feet
in length, terminating in the 50 ft. south of the middle of the south line of Block 4 in
McCully's addition to the Town of Joseph, Oregon (Main ditch, canal or pipe line) (Mile or feet)
R. 45 E., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.)
(E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 2 feet, length on top 10 feet, length at bottom
8 feet; material to be used and character of construction lumber, rock and dirt dam.
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate timber, headgate in dam, about 12" x 18"
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

11014 (a)

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 1 feet; width on bottom 1 feet; depth of water 1 feet; grade 6 feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
				2/3
				1
				1/2
				1/4
				1
2 S	45 E	32	NW 1/4 NW 1/4	as above

(If more space required, attach separate sheet)

(a) Character of soil gravel

(b) Kind of crops raised pasturage and garden crops

POWER OR MINING PURPOSES— none

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..10.00.....

12. Construction work will begin on or before August 21, 1933.....

13. Construction work will be completed on or before August 31, 1933.....

14. The water will be completely applied to the proposed use on or before Aug. 31, 1933.....

Max Wilson.....

(Signature of applicant)

Signed in the presence of us as witnesses:

(1) Lena Scott....., Joseph, Oregon.....

(Name)

(Address of witness)

(2) Eue Patten....., Joseph, Oregon.....

(Name)

(Address of witness)

Remarks: The water course from which it is planned to divert this water is unnamed, and carried seepage and waste water from the Farmers Water Ditch and from the Silver Lake Ditch during the irrigation season. I propose to divert this water from its present course during the irrigation season only and by means of a small ditch convey the water to a point about fifty feet south of the middle of the south line of Block 4 in McCully's Addition to the Town of Joseph and from this point irrigate one half of the street between Blocks 4 and 5, all of Block 4, the street between Blocks 1 and 4, all of Block 1, McCully's Addition and a tract lying east of Blocks 4 and 5 McCully's Addition to Joseph, Oregon, the entire area being about 3 acres. The street and part of street located are vacant, The portions to be irrigated are indicated by a check mark on the accompanying map. All of these lands are within the City Limits of Joseph, Oregon, except the point of diversion which is outside the City Limits.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 15095

Permit No. 11014

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 21st day of August

1933, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

October 28, 1933

Recorded in book No. 37 of Permits on page 11014

CHAS. E. STRICKLIN STATE ENGINEER

8-209 E \$9.50

STATE OF OREGON, County of Marion, ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use measured at the point of diversion from the stream, and shall not exceed 0.1 cubic feet per second or its equivalent in case of rotation with other water users, from Unnamed stream carrying seepage and waste water from Farmers Water Ditch and Silver Lake Ditch

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall not exceed one acre-foot per acre during any thirty-day period and shall be subject to such reasonable rotation system as may be ordered by the proper State officer.

The priority date of this permit is August 21, 1933

Actual construction work shall begin on or before October 28, 1934 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1935

Complete application of the water to the proposed use shall be made on or before

Oct. 1, 1936

WITNESS my hand this 28th day of October, 1933

CHAS. E. STRICKLIN STATE ENGINEER