

\*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, T. H. Copple (Name of applicant)

of 815 S.E. Malden St., Portland, County of Multnomah, State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation none

1. The source of the proposed appropriation is unnamed spring flowing from hill side onto road, a tributary of no tributary

2. The amount of water which the applicant intends to apply to beneficial use is small trickle cubic feet per second. 0.01 not enough to measure

\*\*3. The use to which the water is to be applied is used for stock (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2316 ft. W. and 460 toft. 849' to point of pickup spring from the S.E. corner of Section 16, T. 2 S., R. 2 E. W.M. 40 acres in NW 1/4 SW 1/4 SE 1/4

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.) being within the NW 1/4 SW 1/4 SE 1/4 of Sec. 16, Tp. 2 S., R. 2 E., W. M., in the county of Clackamas, State of Oregon

5. The tiled by County as road drain to be about 400 feet in length, terminating in the 40 A. NW 1/4 SW 1/4 SE 1/4 of Sec. 16, Tp. 2 S., R. 2 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam none feet, length on top none feet, length at bottom none feet; material to be used and character of construction none (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate none (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description take it as it comes (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of none

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 193.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 25.00

12. Construction work will begin on or before Oct. 1, 1933

13. Construction work will be completed on or before Oct. 31, 1933

14. The water will be completely applied to the proposed use on or before Oct. 31, 1933

T. H. Copple  
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) E. J. Noble, Oregon City, Ore.  
(Name) (Address of witness)

(2) Fred A. Miller, " " "  
(Name) (Address of witness)

Remarks: Small spring on the hillside that drains into the drain ditch of market road No. 28, the County tiled the ditch and carried the water along the ditch Northeasterly about 400 feet where it crossed under the road and flowed upon my land - water was absorbed shortly after entering upon my land.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before September 23, 1933.

WITNESS my hand this 23rd day of August, 1933.

CHAS. E. STRICKLIN  
STATE ENGINEER

Application No. 15098.....

Permit No. 11057.....

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No..... District No.....

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,

on the 22nd day of August.....

1933, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

December 16, 1933.....

Recorded in book No. 37..... of  
Permits on page 11057.....

CHAS. E. STRICKLIN.....  
STATE ENGINEER

2---20 d

\$10.00

PERMIT

STATE OF OREGON, )  
County of Marion, ) ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,  
subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use  
measured at the point of diversion from the stream,  
and shall not exceed 0.01 cubic feet per second, or its equivalent in case of rotation with other  
water users, from unnamed spring

The use to which this water is to be applied is stock water

If for irrigation, this appropriation shall be limited to ..... of one cubic foot per  
second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system  
as may be ordered by the proper state officer.

The priority date of this permit is August 22, 1933.....

Actual construction work shall begin on or before December 16, 1934..... and shall  
thereafter be prosecuted with reasonable diligence and be completed on or before  
Oct. 1, 1935.....

Complete application of the water to the proposed use shall be made on or before  
Oct. 1, 1936.....

WITNESS my hand this 16th day of December, 1933..

CHAS. E. STRICKLIN

STATE ENGINEER