

CERTIFICATE NO. 13687

*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Lloyd Morrison (Name of applicant)
 of Grants Pass (Route 3) (Postoffice), County of Josephine,
 State of Oregon, do hereby make application for a permit to appropriate the
 following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Fruitdale Creek (Name of stream),
 a tributary of Rogue River
2. The amount of water which the applicant intends to apply to beneficial use is 1.0
 cubic feet per second. (If water is to be used from more than one source, give quantity from each)
- **3. The use to which the water is to be applied is Irrigation with supply for fish
 pond using hydraulic ram to lift water from Fruitdale Cr. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located 1060 ft. N and 60 ft. W from the SE cor.
 corner of Section 20, T. 36 S., R. 5 W.M. (N. or S.) (E. or W.)
 (Section or subdivision)
 (If preferable, give distance and bearing to section corner)
 (If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)
 being within the SE¹₄ SE¹₄ of Sec. 20, Tp. 36 S,
 R. 5 W, W. M., in the county of Josephine (Give smallest legal subdivision) (N. or S.)
 (E. or W.)
5. The pipe line (Main ditch, canal or pipe line) to be 600 (Miles or feet)
 in length, terminating in the Lot 5 and Lot 8 of Sec. 21 and 20, Tp. 36 S,
 R. 5 W, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.)
 (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 6 feet, length on top 10 feet, length at bottom
6 feet; material to be used and character of construction (Loose rock, concrete, masonry,
Timber crib dam. Plank facing. Wasteway over
 rock and brush, timber crib, etc., wasteway over or around dam)
- (b) Description of headgate Valve in 2" pipe
 (Timber, concrete, etc., number and size of openings)
- (c) If water is to be pumped give general description 6" hydraulic ram
 (Size and type of pump)
Lift 40' to tank
 (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

(b) At miles from headgate: width on top (at water line)
 feet; width on bottom feet; depth of water feet;
 grade feet fall per one thousand feet.

(c) Length of pipe, 600 ft.; size at intake, 2 in.; size at 600 ft. from intake 2 in.; size at place of use 2 in.; difference in elevation between intake and place of use, 50 ft. Is grade uniform? yes Estimated capacity, 0.1 sec. ft.

8. Location of area to be irrigated, or place of use 2.6

[illegible]

(If more space required, attach separate sheet)

(a) Character of soil Sandy loam

(b) Kind of crops raised Garden, fruit and hay

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) *The nature of the works by means of which the power is to be developed*

(e) Such works to be located in _____ of Sec. _____
(Legal subdivision)

Tp......, *R.*....., *W. M.*
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return _____

....., *Sec.*....., *Tr.*....., *R.*....., *W. M.*
(No. N. or S.)(No. E. or W.)

(h) *The use to which power is to be applied is*

(i) *The nature of the mines to be served*

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
 County, having a present population of
 (Name of)
 and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 300.00
12. Construction work will begin on or before Oct. 3, 1934
13. Construction work will be completed on or before Oct. 3, 1935
14. The water will be completely applied to the proposed use on or before Oct. 3, 1935

Lloyd Morrison

(Signature of applicant)

Grants Pass, Ore., (Route 3)

Signed in the presence of us as witnesses:

- (1) Alice M. Bacon 298 W. C. St., Grants Pass, Oregon
 (Name) (Address of witness)
- (2) Oliver Morrison Grants Pass, Oregon
 (Name) (Address of witness)

Remarks:

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 15146

Permit No. 11099

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,

on the 4th day of October

1933, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

December 16, 1933

Recorded in book No. 37 of

Permits on page 11099

CHAS. E. STRICKLIN

STATE ENGINEER

15—379-R

\$14.50

STATE OF OREGON,)
County of Marion,) ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,
subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
measured at the point of diversion from the stream,
and shall not exceed 1.0 cubic feet per second, or its equivalent in case of rotation with other
water users, from Fruitdale Creek

The use to which this water is to be applied is irrigation, fish pond and hydraulic ram.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system
as may be ordered by the proper state officer.

The priority date of this permit is October 4, 1933

Actual construction work shall begin on or before December 16, 1934 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before

Oct. 1, 1935 Extended to Oct. 1, 1936 Extended to Oct. 1, 1938
Extended to Oct. 1, 1937 Extended to Oct. 1, 1939
Extended to Oct. 1, 1940

Complete application of the water to the proposed use shall be made on or before
Oct. 1, 1936 Extended to Oct. 1, 1937 Extended to Oct. 1, 1938
Extended to Oct. 1, 1939
Extended to Oct. 1, 1940

WITNESS my hand this 16th day of December, 1933.

CHAS. E. STRICKLIN

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in section 47-1701, Oregon Code 1930.