

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, World War Veterans' State Aid Commission
(Name of applicant)
of Salem
(Postoffice), County of
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Waste water from Eagle Creek
(Name of stream)
a tributary of Powder River

2. The amount of water which the applicant intends to apply to beneficial use is 0.5
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1300 ft. E and 1400 ft. S from the N 1/4
(N. or S.) (E. or W.)
corner of Section 10.
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)
being within the NW 1/4 SW 1/4 NE 1/4 of Sec. 10, Tp. 9 S
(Give smallest legal subdivision) (N. or S.)
R. 45 E, W. M., in the county of Baker
(E. or W.)

5. The ditch is on property to be 1/4
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SW 1/4 NE 1/4 of Sec. 10, Tp. 9 S
(Smallest legal subdivision) (N. or S.)
R. 45 E, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam none feet, length on top feet, length at bottom
feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.
** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 9 S, 45 E, 10, SW 1/4 NE 1/4, 20. Row 2: SE 1/4 NW 1/4, 6. Row 3: 26.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before

Completed

WORLD WAR VETERANS' STATE AID COMMISSION

(Signature of applicant)

By A. J. Crose, Manager Property Management Dept.

Signed in the presence of us as witnesses:

- (1) Ruth I. Kitchen Salem, Oregon
(Name) (Address of witness)
- (2) Velma H. Farmer Salem, Oregon
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 15030

Permit No. 11105

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 12th day of July

1933, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

January 26, 1934

Recorded in book No. 37 of Permits on page 11105

CHAS. E. STRICKLIN

STATE ENGINEER

9--244-A

STATE OF OREGON, } ss. County of Marion, }

\$9.50 PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.50 cubic feet per second/or its equivalent in case of rotation with other water users, from waste water from Eagle Creek.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second, or its equivalent, for each acre irrigated, shall not exceed 3 acre feet per acre throughout the irrigation season from April 1, to October 1, and shall be subject to such reasonable rotation system as may be ordered by the proper State officer, and is also limited to the water available at the proposed point of diversion, and does not carry with it the right to require the wasteful use of water by others.

The priority date of this permit is July 12, 1933

Actual construction work shall begin on or before January 26, 1935 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1936

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1937

WITNESS my hand this 26th day of January, 1934

CHAS. E. STRICKLIN

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in section 47-1701, Oregon Code 1930.