

***APPLICATION FOR A PERMIT**

To appropriate the Public Waters of the State of Oregon

I, R. E. Miller (Name of applicant)
of 1832 S.W. 11th Ave., Portland, County of Multnomah,
State of Oregon (Postoffice), do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Salmon Creek and unnamed tributary (Name of stream),
a tributary of Yachats River

2. The amount of water which the applicant intends to apply to beneficial use is 2.09
cubic feet per second. 1/4 second ft. from unnamed tributary
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation, domestic and fish culture.
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1100 ft. N and 990 ft. E from the SW
corner of the NW 1/4 SE 1/4 of Sec. 26. (Section or subdivision)
Diversion from unnamed stream 990 ft. N and 150 E of same corner.
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NW 1/4 SE 1/4 of Sec. 26, Tp. 14 S,
(Give smallest legal subdivision) (N. or S.)
R. 12 W, W. M., in the county of Lincoln
(E. or W.)

5. The pipe line and flume to be 600 ft.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW 1/4 SE 1/4 of Sec. 26, Tp. 14 S,
(Smallest legal subdivision) (N. or S.)
R. 12 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 3 feet, length on top 9 feet, length at bottom
3 feet; material to be used and character of construction concrete
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate pipe extending thru concrete dam
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 193_____

(b) If for domestic use state number of families to be supplied one or more

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500.00
- 12. Construction work will begin on or before Sept. 1, 1934
- 13. Construction work will be completed on or before Sept. 1, 1935
- 14. The water will be completely applied to the proposed use on or before Sept. 1, 1935

R. B. Miller
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) F. S. Saritsmier, _____
(Name) (Address of witness)
- (2) Max F. Rogers, _____
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

Correction and completion

Completion and balance of fees

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 8, 1934
January 19, 1934

WITNESS my hand this 8th day of December, 1933
19th day of December, 1933

CHAS. E. SRICKLIN
LN

STATE ENGINEER

Application No. 15191
Permit No. 11118

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 16th day of November
1933, at 11:50 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

January 26, 1934

Recorded in book No. 37 of

Permits on page 11118

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 18 Page 410 i

Fees Paid \$15.50

STATE OF OREGON, }
County of Marion. } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,
subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 2.09 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Salmon Creek and an unnamed
tributary--1.84 from Salmon Cr., and 0.25 s.f. from unnamed tributary.

The use to which this water is to be applied is irrigation, domestic and fish culture.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second, or its equivalent for each acre irrigated,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 16, 1933

Actual construction work shall begin on or before January 26, 1935 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
Oct. 1, 1936

Complete application of the water to the proposed use shall be made on or before
Oct. 1, 1937

WITNESS my hand this 26th day of January, 1934.

CHAS. E. STRICKLIN

STATE ENGINEER