

\*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Lulu B. Read (Name of applicant) of Wallowa (Postoffice), County of Wallowa, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Wallowa River (Name of stream), a tributary of Grande Ronde River

2. The amount of water which the applicant intends to apply to beneficial use is 3.15 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation, stock and domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 680 ft. South and 214 ft. East from the S.E. corner of SW 1/4 NW 1/4 of Sec. 34, Tp. 1 N., R. 43 E., being within NE 1/4 SW 1/4 Sec. 34, Tp. 1 N., R. 43 E., and other ditch comes out 320 east of said corner and on the line between SE 1/4 SW 1/4 NW 1/4 of said Section 34. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary.) being within the SE 1/4 NW 1/4 of Sec. 34, Tp. 1 N, R. 43 E, W. M., in the county of Wallowa

5. The main ditch to be one-half mile in length, terminating in the N 1/2 NW 1/4 of Sec. 34, Tp. 1 N, R. 43 E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam one feet, length on top 20 feet, length at bottom 20 feet; material to be used and character of construction Timbers (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate none (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

11122 (a)

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) Five feet; width on bottom four feet; depth of water ten in. feet; grade one feet fall per one thousand feet.

(b) At three miles from headgate: width on top (at water line) three feet; width on bottom 2 1/2 feet; depth of water 10 feet; grade one feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 1 N, 43 E, 34, SW 1/4 NW 1/4, 40. Row 2: NW 1/4 NW 1/4, 40. Row 3: SE 1/4 NW 1/4, 17. Row 4: NE 1/4 NW 1/4, 17.

(If more space required, attach separate sheet)

(a) Character of soil Sandy Loam

(b) Kind of crops raised Grains, hay, gardens, pasture

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp. R. W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

, Sec. Tp. R. W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 193.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500.00 .....

12. Construction work will begin on or before already constructed .....

13. Construction work will be completed on or before already constructed .....

14. The water will be completely applied to the proposed use on or before now in use and  
has been for forty years or more, priority of 1889 .....

Lulu B. Read  
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) J. A. Burleigh .....  
(Name) (Address of witness)

(2) James A. Read .....  
(Name) (Address of witness)

Remarks: This water was first taken out and used in 1889, by former owner  
and ditch constructed and water has been used each year since. Ditches all con-  
structed and in continuous use.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying  
maps and data, and return the same for .....  
Completion, correction and balance of fees.

In order to retain its priority, this application must be returned to the State Engineer, with  
corrections on or before December 23, ....., 1933.

WITNESS my hand this 23rd day of November, 1933.

CHAS. E. STRICKLIN  
STATE ENGINEER  
EL

Application No. 15200

Permit No. 11122

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 22nd day of November

1933, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

March 24, 1934

Recorded in book No. 37 of Permits on page 11122

CHAS. E. STRICKLIN

STATE ENGINEER

8--208 b

\$25.70

PERMIT

STATE OF OREGON, )
County of Marion, ) ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.15 measured at the point of diversion from the stream, cubic feet per second/or its equivalent in case of rotation with other water users, from Wallowa River

The use to which this water is to be applied is irrigation, stock and domestic

If for irrigation, this appropriation shall not exceed 1 1/2 acre feet per acre during any thirty-day period from May 1, to July 31, and thereafter shall not exceed one acre foot per acre for the remainder of the irrigation season ending October 1, and shall be subject to such reasonable rotation system as may be ordered by the proper State officer.

The priority date of this permit is November 22, 1933

Actual construction work shall begin on or before March 24, 1935 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1936

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1937

WITNESS my hand this 24th day of March, 1934

CHAS. E. STRICKLIN

VB

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in section 47-1701, Oregon Code 1930.