*APPLICATION FOR A PERMIT

CHATIFICATE NO 12237

To Appropriate the Public Waters of the State of Oregon

I,	J. T. Brewe	<u>r</u>					
f	dedford		(Name of applicant	t) County of	Jacks	on	
tate of	Oregon	(Postoffice)	o herebu make (application for	a permit	to appro	priate the
	described public						
17 1	the applicant is a	corporation, give	aate ana piace o	oj incorporation			
1.	The source of the	proposed approp	priation is	Brewer reserv	oir, Roo	ky Gul	ch and
named g	gulch	, c	a tributary of	eft hand for	k of Jac	kson C	ceek or Mille
2.	The amount of w	ater which the ap	plicant intends t	to apply to bene	ficial use	is 2.0	
ubic feet	per second. 1.8.3	.f. from reser	rvoir: 0.10 fr	com Rock gulc	h, Q.10	from w	maned gulch
** 9	The use to which	the water is to b	e applied is	irrigation, m	ining ar	d dome:	stic
0.	The age to which		(Irrigati	on, power, mining, ma	nufacturing,	domestic sup	plies, etc.)
	Diversion No.	1: Reservoir	N. 27 W., 1	720 feet; Di	version	#2, Ro	cky Gulch S.
4. O feet;	The point of diversion #3;	<i>rsion is located</i> unnamed gulch	h S.82 W.(N. or S.	and f 2850 feet,	al I^E.frV d	. <i>from th</i> A Sectio	le on
rner 💥	common to Sect	ions 35, 36,]	l and 2.	ion)		•	
servo i ı	in $NE_{\overline{4}}$ $SE_{\overline{4}}$, S	ec. 35, T. 37	S., R. 3 W.W.	M.; Rocky uu	lch in N	IE.; NE₫	Sec. 2;
J	and malah in Ni		re distance and bearing to				
id unnar	ned gulch in NI (If there is:	nore than one point of dive	ersion, each must be desc	ribed. Use separate sh	eet if necessary	······································	
eing wit	hin the see al	ove description	ons	of Sec		, Tp	,
,	, W. M., in	the county of	ackson				
5.	TheMair	ditch		to be .	one n	ile	
ı length,	terminating in th	(Smalles	st legal subdivision)	of Sec		, Tp	N. or S.)
(E. or	, W. M., the	proposed location	n being shown th	hroughout on th	ne accomp	anying n	nap.
		DESCR	RIPTION OF W	ORKS			
DIVERSION	Works—						
	(a) Height of d						
30	feet; mater	ial to be used and	d character of co	onstruction Lo	g crib,	dirt a	nd crete, masonry,
rock fil	ll; gates at ea	ch end.		•••••			
ck and brush	, timber crib, etc., wastew	ly over or around dam)					
		1 5 f	+ by 9 f+ of	timbon			
(b) Description of	readgate	(Timber,	timber.	nd size of open	ings)	
,				*			
) If water is to b	e pumped give g	eneral description	on			

^{*} A different form of application is provided where storage works are contemplated.

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL	System	OP PIPE	T.TNF
LANAL	O Y S I I'VI	OR FIRE	

feet; depth of water 0.5. feet; grade 1.0 feet fall per or meand feet. (b) At 3. miles from headgate: width on top (at water line) 2.0 feet; width on bottom feet; depth of water feet and feet; width on bottom feet; depth of water feet and feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake, in.; size at for mintake in.; size at place of use in.; difference in elevation betweet ake and place of use, ft. Is grade uniform? Estimated capacit seec. ft. 8. Location of area to be irrigated, or place of use Seec. ft. 8. Location of area to be irrigated, or place of use Seec. ft. 8. Sec. ft. Sec. Sec. Sec. Sec. Sec. Sec. Sec. Sec	_			er line)2.5	
feet; width on bottom 1.5 feet; depth of water 1.5 feet also feet also feet fall per one thousand feet.	usand feet.	feet; depth o	of water Ω .	5 feet; grade	1.0 feet fall per on
	(b) At	<u>3</u>	. miles from he	adgate: width on top (at wate	r line)2.0
(c) Length of pipe, ft.; size at intake, in.; size at		. feet; width	on bottom	1.5 feet; depth of u	vaterfeet
mintake in.; size at place of use in.; difference in elevation between the keand place of use, ft. Is grade uniform? Estimated capacit see. Sec. ft. 8. Location of area to be irrigated, or place of use Fortwards Table Irrigated 37. S. 3. W. 35 SEA SEA 30 SEA SEA SEA SEA 30 SEA SEA SEA 30 SEA SEA SEA SEA SEA 30 SEA SEA SEA SEA SEA 30 SEA	de1.0	feet f	all per one thou	sand feet.	
ake and place of use,	(c) Length	h of pipe,	ft.;	size at intake,	in.; size at ft
Sec. ft. 8. Location of area to be irrigated, or place of use Township Rence Section Forty-acre Tract Township Rence Section Forty-acre Tract Township Rence Section Forty-acre Tract Number Acres To Be Irrigated SWA SEA SWA SEA SWA SEA SWA SEA SO SRA SWA SO SRA SO SRA SWA SO SRA	n intake	in	.; size at place o	of use in.; di	fference in elevation betwee
Reader Section Forty-acre Tract Number Acres	ke and place o	f use,	ft.	Is grade uniform?	Estimated capacity
Township Range Section Porty-sere Tract The intrigated		sec. ft.			
Second S	8. Location	n of area to	be irrigated, or	· place of use	
SWA SEA 5 SWA SEA 50 SEA SWA 30 SEA SWA 30 SEA SWA 30 SWA SEA SWA SEA 30 SWA SEA 30 SWA SEA SWA SEA SEA SEA SEA SEA SEA SEA SEA SEA SE	Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
SW\$_SE\$	37 S	3 W	35	SE [±] SE [±]	30
SEA SWA 30 NEA NEA 12 149 149 37 S 3 W 36 Placer mining to be along stream bed in SWA SWA 10 (a) Character of soil loose gravelly loam (b) Kind of crops raised General farm products WER OR MINING PURPOSES— 9. (a) Total amount of power to be developed theoretical horsepowe (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized (Head) (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (Head) (f) Is water to be returned to any stream? (g) If so, name stream and locate point of return 7, Sec. 7, Tp. (No. N. or S.) (No. E. or W.)					
SE SW 30 SW SE 20 SW SW SE 20 SW SW SW SW SW SW SW S					
SWA SEA 20 NWA NEA 112 20 NWA NEA 12 12 149 37 S 3 W 36 Placer mining to be along stream bed in SWA SWA 10 (a) Character of soil loose gravelly losm (b) Kind of crops raised General farm products WER OR MINING PURPOSES— 9. (a) Total amount of power to be developed theoretical horsepowe (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (Legal subdivision) of Sec. (g) If so, name stream and locate point of return (Year or No) (9) If so, name stream and locate point of return (No. N. or S.) R. (No. E. or W.) W. M.					
NNG NEG NEG 12 149 37 S 3 W 36 Placer mining to be along stream bed in Swing Swing 10 (If more space required attach separate sheet) (a) Character of soil loose gravelly loam (b) Kind of crops raised General farm products WER OR MINING PURPOSES— 9. (a) Total amount of power to be developed theoretical horsepowe (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (legal subdivision) (no. N. or 8.) (No. E. or W.) (f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return Sec. T., W. M.					
NNG NEG NEG 12 149 37 S 3 W 36 Placer mining to be along stream bed in Swing Swing 10 (If more space required attach separate sheet) (a) Character of soil loose gravelly loam (b) Kind of crops raised General farm products WER OR MINING PURPOSES— 9. (a) Total amount of power to be developed theoretical horsepowe (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (legal subdivision) (no. N. or 8.) (No. E. or W.) (f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return Sec. T., W. M.	ĺ			MAI DEA	
NE NE NE 149 1		<u>əw</u>	2		
149 37 S 3 W 36 Placer mining to be along stream bed in SW SW SW 10 10 10 10 10 10 10 1					
(a) Character of soil loose gravelly loam (b) Kind of crops raised General farm products WER OR MINING PURPOSES— 9. (a) Total amount of power to be developed theoretical horsepowe (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed for sec. (e) Such works to be located in feet. (g) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return for sec. in the order of the stream of the sec. in the order of the order o		•••••		NEG NEG	
(If more space required, attach separate sheet) (a) Character of soil loose gravelly loam (b) Kind of crops raised General farm products WER OR MINING PURPOSES— 9. (a) Total amount of power to be developed theoretical horsepowe (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed feet. (e) Such works to be located in feet. (g) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return for the control of the con		P TI			
(a) Character of soil loose gravelly loam (b) Kind of crops raised General farm products VER OR MINING PURPOSES— 9. (a) Total amount of power to be developed theoretical horsepowe (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (Head) (e) Such works to be located in (Legal subdivision) of Sec. (no. N. or S.) (No. E. or W.) (g) If so, name stream and locate point of return (No. N. or S.) (No. E. or W.)	27.8	9 W			
(a) Character of soil loose gravelly loam (b) Kind of crops raised General farm products VER OR MINING PURPOSES— 9. (a) Total amount of power to be developed theoretical horsepowe (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (Legal subdivision) (g) If so, name stream and locate point of return (No. N. or S.) (No. E. or W.) (g) If so, name stream and locate point of return , W. M.				SW4 SW4	.
(a) Character of soil loose gravelly loam (b) Kind of crops raised General farm products VER OR MINING PURPOSES— 9. (a) Total amount of power to be developed theoretical horsepowe (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in feet. (Regal subdivision) (Ro. N. or S.) (No. E. or W.) (g) If so, name stream and locate point of return (No. N. or S.) (No. E. or W.) (No. D. or S.) (No. E. or W.) (No. D. or S.) (No. E. or W.)					-
(b) Kind of crops raised	(a) Chara	etem of soil	loogo me	velly losm	
WER OR MINING PURPOSES— 9. (a) Total amount of power to be developed		•			
9. (a) Total amount of power to be developed			<i>a</i>		
(c) Total fall to be utilized			f power to be d	leveloped	theoretical horsepowe
(c) Total fall to be utilized	(b) Qu	antity of wa	ter to be used	for power	sec. ft.
(d) The nature of the works by means of which the power is to be developed					·
(e) Such works to be located in				(,	he developed
(No. N. or S.) (No. E. or W.) (f) Is water to be returned to any stream?	(a) 1n	e nature of	the world og m	eans of which the power is to	oe developed
(No. N. or S.) (No. E. or W.) (f) Is water to be returned to any stream?	(a) G	-1 t - 1			-4 G
(f) Is water to be returned to any stream?					07 Sec
(g) If so, name stream and locate point of return					
, Sec, Tp, R, W. I	(f) Is f	water to be r	returned to any	stream?(Yes or No)	
(h) The use to which power is to be applied is	(g) If		0 -	T_m	R . W. M
	(g) If		, Sec	(No. N. or S.)	(No. E. or W.)

Mun	ICIPAL OR	Domestic Supply—	
	10. (a)	To supply the city of	
	(Nam	County, h	aving a present population of
and o	·	ed population of	in 193
	(b)	If for domestic use stat	te number of families to be suppliedtwo
			swer questions 11, 12, 13, and 14 in all cases)
	dd 1704		
			works, \$ 800
			in on or before Sept. 1934
			completed on or before Sept. 1935
	14. The	water will be complete	ely applied to the proposed use on or beforeSept. 1936
	·····		I T Brown by I W Brown
			J. T. Brewer by J. W. Brewer (Signature of applicant)
	Signed i	n the presence of us as i	witnesses:
(1)	Elda	Ghelardi	Medford, Oregon
	Clint	(Name)	(Address of witness)
(2)	OTING	(Name)	Medford, Oregon (Address of witness)
rese	•••••		
			······································
			······································
STA		$\left.egin{array}{c} REGON,\ Marion, \end{array} ight. ight.$	
			mined the foregoing application, together with the accompanying
***		ŕ	r
тарг	s ana aara	, and recurn the same for	· ····································
	••••••		
			, this application must be returned to the State Engineer, wit
corre			, 193
			day of 193
			STATE ENGINEER

Application	No. 15206
Permit No.	11126

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.....

This instrument was first received in the

	office of the State Engineer at Salem, Oregon,	
	on the 25th day of November,	
	193 3, at 8:00 o'clock A. M.	
	Returned to applicant:	
	Corrected application received:	
	Approved: January 26, 1934	
	Recorded in book No37 of	
	Permits on page11126	
	CHAS. E. STRICKLIN STATE ENGINEER	
	Drainage Basin No. 15 Page 363 k Fees Paid \$27.45	
STATE OF OREGON, County of Marion.	PERMIT	
subject to existing rights a The right herein gran and shall not exceed	t I have examined the foregoing application and and the following limitations and conditions: need is limited to the amount of water which can cubic feet per second measured at the percase of rotation with other water users, from .Br #15205, Per. #R-670, and Rocky Gulch and swater is to be applied is irrigation, mining	be applied to beneficial use point of diversion from the lewer Reservoir, to be an unnamed gulch
	s appropriation shall be limited to 1/80th lent for each acre irrigated,	
The priority date of	reasonable rotation system as may be ordered this permit is November 25, 1933	by the proper state officer.
Actual construction	work shall begin on or beforeJanuary 26, 1	.935 and shall
0-1-3-2070	th reasonable diligence and be completed on or be	fore
Complete application Oct. 1, 1937	of the water to the proposed use shall be made o	n or before
	this 26th day of January	193 4
TILLIADD HVy Hullu	CHAS. E. STRICK	
Permits for power development	t are subject to the payment of annual fees as provided in sections 1	STATE ENGINEER
-		