

CERTIFICATE NO. 11569

\*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Arthur Hennigan of Swisshome, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Count Creek, a tributary of Siuslaw River

2. The amount of water which the applicant intends to apply to beneficial use is 1/25 cubic feet per second.

\*\*3. The use to which the water is to be applied is Domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1890 ft. east and 200 ft. south from the 1/4 sec. corner of Section 30 on the west line of Section 30

being within the NE 1/4 SW 1/4 of Sec. 30, Tp. 17 S, R. 9 W, W. M., in the county of Lane

5. The pipe line to be 500 in length, terminating in the NE 1/4 SW 1/4 of Sec. 30, Tp. 17 S, R. 9 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam no dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Timber, 2 x 6 feet (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description no pump (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 193.....

(b) If for domestic use state number of families to be supplied ..... one

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 100.00
- 12. Construction work will begin on or before Jan. 2nd, 1934
- 13. Construction work will be completed on or before Jan. 2nd, 1935
- 14. The water will be completely applied to the proposed use on or before Jan. 2nd, 1935

Arthur Hennigan  
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) G. H. Waggoner, 1245 1/2 Wash. St., Eugene, Ore.  
(Name) (Address of witness)
- (2) J. M. McCausland, 140 - 6th Ave., W. Eugene, Oregon  
(Name) (Address of witness)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 193.....

WITNESS my hand this ..... day of ....., 193.....

STATE ENGINEER

Application No. 15223  
Permit No. 11140

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. District No.

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,

on the 18th day of December

1933, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

January 26, 1934

Recorded in book No. 37 of

Permits on page 11140

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 18 Page 418 B

Fees Paid \$10.00

STATE OF OREGON, }  
County of Marion. } ss.

**PERMIT**

This is to certify that I have examined the foregoing application and do hereby grant the same,  
subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use  
and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the  
stream, or its equivalent in case of rotation with other water users, from

Count. Creek

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per  
second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 18, 1933

Actual construction work shall begin on or before January 26, 1935 and shall  
thereafter be prosecuted with reasonable diligence and be completed on or before  
Oct. 1, 1936

Complete application of the water to the proposed use shall be made on or before  
Oct. 1, 1937

WITNESS my hand this 26th day of January, 1933

CHAS. E. STRICKLIN

STATE ENGINEER