

***APPLICATION FOR A PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, E. S. Fortner (Name of applicant)
of 408 U. S. Bank Bldg., Salem, County of Marion,
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Snake River
(Name of stream)

, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 2.0
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the _____
corner of _____
(N. or S.) (E. or W.)
(Section or subdivision)
N 8° 50' W 455 ft. from NE corner of Sec. 4, 18 S., 47 E.W.M.
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SE₄ SE₄ of Sec. 33, Tp. 17 S,
(Give smallest legal subdivision) (N. or S.)
R. 47 E, W. M., in the county of Malheur
(E. or W.)

5. The pipe line to be 1000
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NE₄ NE₄ of Sec. 4, Tp. 18 S,
(Smallest legal subdivision) (N. or S.)
R. 47 E, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam none feet, length on top _____ feet, length at bottom _____
feet; material to be used and character of construction _____
(Loose rock, concrete, masonry)
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description centrifugal, electric driven--
size not yet determined.
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before Completed
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before Being used

Edgar S. Fortner
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) (Name), (Address of witness)
- (2) (Name), (Address of witness)

Remarks:
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 15225
Permit No. 11141

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 21st day of December
1933, at 10:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

January 26, 1934

Recorded in book No. 37 of

Permits on page 11141

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 10 Page 244 e.

Fees Paid \$11.00

STATE OF OREGON, }
County of Marion. } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,
subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 2.0 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from
Snake River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/20th of one cubic foot per
second or its equivalent for each acre irrigated, shall not exceed 1/2 acre feet per
acre in any 30 day period prior to June 1, one acre foot per acre in any period of
thirty days after June 1, of each year, or three acre feet per acre during any irriga-
tion season,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 21, 1933

Actual construction work shall begin on or before January 26, 1935 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
Oct. 1, 1936

Complete application of the water to the proposed use shall be made on or before
Oct. 1, 1937

WITNESS my hand this 26th day of January, 1934

CHAS. E. STRICKLIN

STATE ENGINEER