

*APPLICATION FOR A PERMIT ~~PERMIT~~ 12094

To appropriate the Public Waters of the State of Oregon

I, Louis R. Mitchell, John I. Bacon (Name of applicant) of 3328 S.E. Knapp, Portland (Postoffice), County of Multnomah State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Springs, unnamed trib. of Kellogg Creek and Kellogg Creek, a tributary of Willamette River (Name of stream)

2. The amount of water which the applicant intends to apply to beneficial use is 0.5 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation, domestic, ponds and pools (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

Table with 6 rows of land divisions: Div. #1. 1200' S. and 450' E. of Center Sec. 6; Div. #2. 660' S. and 450' E. of Center Sec. 6; Div. #3. 600 S and 600' E of Center Sec. 6; Div. #4. 350' S. and 650' E of Center Sec. 6; Div. #5. 300' S and 500' E of Center Sec. 6; Div. #6. 250' S and 550' E of Center Sec. 6. Includes 'from the (E. or W.)' column.

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.) being within the NE 1/4 SW 1/4 of Sec. 6, Tp. 2 S, R. 2 E, W. M., in the county of Clackamas (Give smallest legal subdivision) (E. or W.) (N. or S.)

5. The pipe line to be 1500' (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the NE 1/4 SW 1/4 of Sec. 6, Tp. 2 S, R. 2 E, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 4 feet, length on top 10 feet, length at bottom 10 feet; material to be used and character of construction concrete and timber (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. ** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied²

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 400.00
- 12. Construction work will begin on or before One year after approval
- 13. Construction work will be completed on or before Two years
- 14. The water will be completely applied to the proposed use on or before Three years.

Louis R. Mitchell
(Signature of applicant)

John I. Bacon

Signed in the presence of us as witnesses:

- (1) V. S. Bovalle, Salem, Oregon
(Name) (Address of witness)
- (2) Marguerite Smith,
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

Completion, signature and balance of fees

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 1, 1933.

WITNESS my hand this 1st day of October, 1933

CHAS. E. STRICKLIN
STATE ENGINEER

EL

Application No. 15114

Permit No. 11163

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 1st day of September

1934, at 11:15 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

March 24, 1934

Recorded in book No. 38 of Permits on page 11163

CHAS. E. STRICKLIN

STATE ENGINEER

2-45 T

\$14.50

STATE OF OREGON,) ss. County of Marion,)

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use measured at the point of diversion from the stream, and shall not exceed 0.5 cubic feet per second/or its equivalent in case of rotation with other water users, from Springs, Kellogg Creek and an unnamed tributary

The use to which this water is to be applied is irrigation, domestic, ponds and pools.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 6, 1934

Actual construction work shall begin on or before March 24, 1935 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1936 Extended to Oct. 1, 1937

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1937

WITNESS my hand this 24th day of March, 1934

CHAS. E. STRICKLIN

VB

STATE ENGINEER