

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Viola Covey (Name of applicant) of Crow Stage, Eugene (Postoffice), County of Lane, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is not named (Name of stream), a tributary of Coyote

2. The amount of water which the applicant intends to apply to beneficial use is 25 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1000 ft. West from S.E. Corner of the SW 1/4 of Sec. 6 and 1000 ft. from the corner of 1000 ft. north of the S.E. corner of the SW 1/4 of Sec. 6 (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE 1/4 SW 1/4 of Sec. 6, Tp. 18 S, R. 5 W, W. M., in the county of Lane

5. The ditch to be 3000 ft. in length, terminating in the NE 1/4 SW 1/4 of Sec. 6, Tp. 18 S, R. 5 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 4 feet, length on top 16 feet, length at bottom 12 feet; material to be used and character of construction 2 x 12 waste water to flow in natural course

(b) Description of headgate plank and 2 x 6

(c) If water is to be pumped give general description gravity

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

11176 (a)

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 2 feet; width on bottom 2 feet; depth of water 1 feet; grade 5 feet fall per one thousand feet.

(b) At 1/4 miles from headgate: width on top (at water line) 1.8 in. feet; width on bottom 1.6 in. feet; depth of water 8 in. feet; grade 5 feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 18 S, 5 W, 6, NE 1/4 SW 1/4, 11. Row 2: SE 1/4 SW 1/4, 4.

(If more space required, attach separate sheet)

(a) Character of soil Free loam

(b) Kind of crops raised Fruit and

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp. (No. N. or S.), R. (No. E. or W.), W. M. No power to be used

(f) Is water to be returned to any stream? Yes (Yes or No)

(g) If so, name stream and locate point of return not named

Sec. 6, Tp. 18 S, R. 5 W, W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 193_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$... 50 _____
- 12. Construction work will begin on or before Mar. 1, 1934 _____
- 13. Construction work will be completed on or before June 1, 1934 _____
- 14. The water will be completely applied to the proposed use on or before Aug. 1, 1934 _____

Viola Covey
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) Florence E. Fall, 759 West 11th St., Eugene
(Name) (Address of witness)
- (2) B. J. Clark, 691 Will., Eugene
(Name) (Address of witness)

Remarks: The stream head on A. S. Jobs farm his address is Crow State,
Eugene.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

Completion and balance of fees, _____

Completion and balance of fees. _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before February 23, 1934
March 3, 1934

WITNESS my hand this 23rd day of January, 1934
1st day of February, 1934

CHAS. E. STRICKLIN
RJV STATE ENGINEER
LN

Application No. 15254
Permit No. 11176

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 23rd day of January
1934, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

March 24, 1934

Recorded in book No. 38 of

Permits on page 11176

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 22 b

Fees Paid \$9.50

STATE OF OREGON, }
County of Marion. } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.19 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed stream, tributary of Coyote Creek.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 23, 1934

Actual construction work shall begin on or before March 24, 1935 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1936

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1937

WITNESS my hand this 24th day of March, 1934

CHAS. E. STRICKLIN

VB

STATE ENGINEER