

\*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Le Roy Grafe (Name of applicant) of Gates (Postoffice), County of Marion, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed stream (Name of stream), a tributary of N. Santiam

2. The amount of water which the applicant intends to apply to beneficial use is 0.5 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is domestic, stock and garden (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1300 ft. N and 600 ft. E from the S 1/4 corner of Sec. 27 and 600' N and 200' E from the same corner (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW 1/4 SE 1/4 of Sec. 27, Tp. 9 S, R. 3 E, W. M., in the county of Marion (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The pipe line (Main ditch, canal or pipe line) to be 250' (Miles or feet) in length, terminating in the SW 1/4 SE 1/4 of Sec. 27, Tp. 9 S, R. 3 E, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/4" intake - 3 1/4" cylinder (Size and type of pump) driven by windmill (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of)  
and an estimated population of \_\_\_\_\_ in 193.....

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before .....

13. Construction work will be completed on or before .....

14. The water will be completely applied to the proposed use on or before .....

Completed

Le Roy Grafe

(Signature of applicant)

Signed in the presence of us as witnesses:

(1) V. S. B velle \_\_\_\_\_, \_\_\_\_\_  
(Name) (Address of witness)

(2) \_\_\_\_\_, \_\_\_\_\_  
(Name) (Address of witness)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 193.....

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 193.....

STATE ENGINEER

Application No. 15304

Permit No. 11221

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 9th day of March

1934, at 11:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

May 26, 1934

Recorded in book No. 38 of

Permits on page 11221

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 39 E

Fees Paid \$10.00

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed stream

The use to which this water is to be applied is domestic, stock, and garden irrigation

If for irrigation, this appropriation shall be limited to --- of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 9, 1934

Actual construction work shall begin on or before May 26, 1935 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1936

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1937

WITNESS my hand this 26th day of May, 1934

CHAS. E. STRICKLIN

STATE ENGINEER