

*APPLICATION FOR A PERMIT

12103

To Appropriate the Public Waters of the State of Oregon

I, A. H. Zanders
 (Name of applicant)
 of Milwaukie, County of Clackamas,
 (Postoffice)
 State of Oregon, do hereby make application for a permit to appropriate the
 following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is unnamed spring
 (Name of stream)
 _____, a tributary of Spring Creek

2. The amount of water which the applicant intends to apply to beneficial use is one
 cubic feet per second.
 (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is swimming pool
 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 725 ft. south and 600 ft. east from the NW
 (N. or S.) (E. or W.)
 corner of Section 36, T. 1 S., R. 1 E. of the Willamette Meridian
 (Section or subdivision)
 (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
 being within the NW $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 36, Tp. 1 S,
 (Give smallest legal subdivision) (N. or S.)
 R. 1 E, W. M., in the county of Clackamas
 (E. or W.)

5. The pipe line to be 50 feet
 (Main ditch, canal or pipe line) (Miles or feet)
 in length, terminating in the NW $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 36, Tp. 1 S,
 (Smallest legal subdivision) (N. or S.)
 R. 1 E, W. M., the proposed location being shown throughout on the accompanying map.
 (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

no dam

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom
 _____ feet; material to be used and character of construction concrete box around
 (Loose rock, concrete, masonry,
spring
 rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate no headgate
 (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description no pump
 (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

(b) At miles from headgate: width on top (at water line)
 feet; width on bottom feet; depth of water feet;
 grade feet fall per one thousand feet.

8. Location of area to be irrigated, or place of use swimming pool

[illegible]

(If more space required, attach separate sheet)

(b) Kind of crops raised

POWER OR MINING PURPOSES—

(c) Total fall to be utilized feet.
(Head)

(e) Such works to be located in _____ of Sec. _____
(Legal subdivision)

Tr......, *R.*....., *W. M.*
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? yes
(Yes or No)

(g) If so, name stream and locate point of return Spring Creek

NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 36 Tp. 1 S (No. N. or S.), R. 1 E (No. E. or W.), W. M.

(i) *The nature of the mines to be served*

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
 County, having a present population of
 (Name of)
 and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 6000.00

12. Construction work will begin on or before June 15th, 1934

13. Construction work will be completed on or before September 1st, 1934

14. The water will be completely applied to the proposed use on or before

September 1st, 1934

A. K. Zanders

(Signature of applicant)

Signed in the presence of us as witnesses:

(1) P. W. Kirkpatrick 2805 Washington, Milwaukie, Ore.
 (Name) (Address of witness)

(2) R. M. Rivers 2036 28th St., Milwaukie, Ore.
 (Name) (Address of witness)

Remarks: See letter attached.

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 15370
Permit No. 11248

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,

on the 26th day of May

1934, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 8, 1934

Recorded in book No. 38 of

Permits on page 11248

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 45 U

Fees Paid \$10.00

STATE OF OREGON, }
County of Marion. } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,
subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 1.0 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from

Unnamed spring

The use to which this water is to be applied is Swimming pool

If for irrigation, this appropriation shall be limited to ----- of one cubic foot per
second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 26, 1934

Actual construction work shall begin on or before June 8, 1935 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
Oct. 1, 1936

Complete application of the water to the proposed use shall be made on or before
Oct. 1, 1937

WITNESS my hand this 8th day of June, 1934

CHAS. E. STRICKLIN

STATE ENGINEER