

CERTIFICATE NO. 11168

***APPLICATION FOR A PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, Ben Augustino (Name of applicant)
of Marshfield (Box 114), County of Coos,
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed stream (Name of stream)

, a tributary of Coal Bank Inlet

2. The amount of water which the applicant intends to apply to beneficial use is 0.2 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic (Dairy herd, milk bottling plant and household use, also stock watering) (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 819 ft. S and 721 ft. W from the N.E. corner of Section 9 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)

being within the NE 1/4 NE 1/4 of Sec. 9, Tp. 26 S, R. 13 W, W. M., in the county of Coos (Give smallest legal subdivision) (N. or S.)

(E. or W.)

5. The pipe line to be 1400 ft. (Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the SW 1/4 NW 1/4 of Sec. 10, Tp. 26 S, R. 13 W, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.)

(E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 5 feet, length on top 20 feet, length at bottom

6 feet; material to be used and character of construction lumber and earth (Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 2" pipe (Timber, concrete, etc., number and size of openings)

6" iron pipe drain out - 12 x 12 wood spillway

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$..... 250.00
- 12. Construction work will begin on or before July 1, 1934
- 13. Construction work will be completed on or before Dec. 1, 1934
- 14. The water will be completely applied to the proposed use on or before July 1, 1935

Ben Agostino
(Signature of applicant)

Signed in the presence of us as witnesses:

- (1) D. L. BUCKINGHAM, Marshfield, Oregon
(Name) (Address of witness)
- (2) ? , Marshfield, Oregon
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 15400

Permit No. 11305

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 25th day of June

1934, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

August 25, 1934

Recorded in book No. 38 of Permits on page 11305

CHAS. E. STRICKLIN STATE ENGINEER

17-407 a

\$10.00 PERMIT

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use measured at the point of diversion from the stream, and shall not exceed 0.1 cubic feet per second, or its equivalent in case of rotation with other water users, from unnamed stream

The use to which this water is to be applied is domestic, bottling plant and stock water.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 25, 1934

Actual construction work shall begin on or before August 25, 1935 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1936

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1937

WITNESS my hand this 25th day of August, 1934

CHAS. E. STRICKLIN STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in section 47-1701, Oregon Code 1930.