

*APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Charles G. Sabin (Name of applicant) of Medical-Dental Bldg. (Postoffice), County of Multnomah, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed creek and springs, (Name of stream) tributary of Johnson Creek, a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.5 cubic feet per second. 0.1 from creek and 0.4 from springs (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic supply and fish cultural purposes. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 813.75 ft. N. and 1166.4 ft. W. from the SE corner of the NE 1/4 of Section 25, T. 1 S., R. 2 E. W. M., also dam for fish pond 200 feet west and 325 feet south of the NE corner of the NE 1/4 NE 1/4 Section 25, T. 1 S., R. 2 E. W. M. (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the #2 NE 1/4 NE 1/4 of Sec. 25, Tp. 1 S., R. 2 E. W. M., in the county of Multnomah

5. The #1 pipe line to be 996 feet in length, terminating in the E 1/2 NE 1/4 NE 1/4 of Sec. 25, Tp. 1 S., R. 2 E. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam #1 4 ft. 20 feet, length on top #2 7 ft. 50 feet, length at bottom 6 feet; material to be used and character of construction

Loose rock, earth and timbers

rock and brush, timber crib, etc., wasteway over or around dam

Waterway over or around the dam

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1/2 mile ft.; size at intake, 1 in.; size at 5 ft. from intake 1 in.; size at place of use 1 in.; difference in elevation between intake and place of use, 35 ft. Is grade uniform? 35 ft. dif. Estimated capacity, less than 0.5 sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: It is not contemplated to use the water for irrigation purposes. Row 2: 1 S, 2 E, 25, NE 1/4, NE 1/4, Place of use.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 193.....

(b) If for domestic use state number of families to be supplied for 1 family probably, and not for more than three summer homes.

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500.00.....

12. Construction work will begin on or before One year from date of approval.....

13. Construction work will be completed on or before Two years from date of approval.....

14. The water will be completely applied to the proposed use on or before Three years from date of approval.....

Charles G. Sabin.....

(Signature of applicant)

Signed in the presence of us as witnesses:

(1) Esther Perry, 1926 NW Northrup.....

(Name)

(Address of witness)

(2) E. L. Nelson, 611 S.E. 6th Ave., Portland, Ore.....

(Name)

(Address of witness)

Remarks: All the property aforesaid is owned by the applicant.....

..... 0.1 second-foot for domestic purposes, and.....

..... 0.4 second-foot for fish-cultural purposes.....

STATE OF OREGON, }

ss.

County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 193.....

WITNESS my hand this day of, 193.....

STATE ENGINEER

Application No. 15419

Permit No. 11315

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 9th day of July

1934, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

August 25, 1934

Recorded in book No. 38 of

Permits on page 11315

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 76

Fees Paid 10.00

STATE OF OREGON, } ss. County of Marion.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.5 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed creek and springs—0.1 s.f. from creek, and 0.4 s.f. from springs.

The use to which this water is to be applied is domestic and fish culture

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 9, 1934

Actual construction work shall begin on or before August 25, 1935 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Oct. 1, 1936

Complete application of the water to the proposed use shall be made on or before

Oct. 1, 1937

WITNESS my hand this 25th day of August, 1934.

CHAS. E. STRICKLIN

STATE ENGINEER