*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

,,	I. W. W	. Allen				baro
of			(Name	of applicant)	f Curry	
					or a permit to appropr	
10110					O $EXISTING$ $RIGHTS$	
	If the app	ucant is a corpor	u*	i place of incorporate	ionno	
	1. The so	urce of the prop		is Cunniff	Creek Name of stream)	
******		and	, a tributo		Creek	
	2. The an	nount of water w	hich the applicant i	ntends to apply to be	eneficial use is0.01	
cubi	c feet per see	cond. 0.01 - on	e one hundreths	- half from both	sources	
	**3. The us	se to which the w		is domestic us	ie .	
				(Irrigation, power, mining	g, manufacturing, domestic supplie	#s, etc.)
First	4. The po	oint of diversion	is located 603 ft	East and 230	ft. South from the	W 1/4
corn			R. 14 W.W.B & M.		(E. 01 W.)	
Secono	location	is 63- ft. ea		or subdivision) south of the west	quarter corner of	Sec. 6,
		(1	If preferable, give distance an	d bearing to section corner)		
		(If there is more than	one point of diversion, each i	must be described. Use separat	te sheet if necessary)	37 S
					6 , Tp. (N. 6)	or S.)
<i>R</i>	14.W, (E. or W.)	W. M., in the con	unty of Curry			
	5. The	pipe line of s	second location (Main ditch, canal or pipe line	$\frac{t}{2}$	be 66 feet (Miles or feet)	
in le				a Lot 6 / of Sec.	6 , Tp. 37	
R	14 W ,	W. M., the propo			n the accompanying ma	
			DESCRIPTION	OF WORKS		
Divi	ersion Work	S— Firs	st location simp	ly dam in creek		
	6. (a) H	eight of dam	feet, le	ength on top20) feet, length a	t bottom
	f	eet; material to	be used and charact	ter of construction.	(Loose rock, concre	
	Already	constructed, prib, etc., wasteway over or	olank and dirt raround dam)	·····		
. v,			ite	(Timber, concrete, etc., numb	per and size of openings)	
	(c) If we	xter is to be pum			(Size and type of pump)	
	***************************************			sed, total head water is to be	lifted, etc.)	

[•] A different form of application is provided where storage works are contemplated.

^{**} Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer Salem, Oregon.

headgate. At hea	dgate: width o	on top (at wate	e r line)	feet; width on botte
	feet; depth of	water	feet; grade	feet fall per c
thousand feet.		miles from hee	idgate: width on top (at water	lina)
	-		feet; depth of we	iter fe
grade	feet fa	ill per one thous	sand feet.	
ond location (c) Lengt	h of pipe,	66 ft.;	size at intake, 4	in.; size at66
from intake 1	in.;	size at place o	of use1 in.; diff	ference in elevation betwe
intake and place of	of use,5	ft.	Is grade uniform?yes	Estimated capac
		·		
	•	a immigrated and	mlman of our	
Township	Range	Section	Forty-acre Tract	Number Acres
Township		Section	Forty-acre Tract	To Be Irrigated
37 S	14 W	6	Lot 6 NW4 SW4)	2

	•••••			
	***************************************			***************************************
	•			
	***************************************		***************************************	•••••
•••••				

•				
		·	required, attach separate sheet)	
(a) Chan	ratom of apil		•	
	•			
(b) Kind	of crops raised	<i>i</i>		
Power or Mining				
9. (a) To	otal amount of	power to be d	eveloped	theoretical horsepor
(b) Q	uantity of wat	ter to be used	for power	sec. ft.
(c) To	tal fall to be u	tilized	feet.	
			eans of which the power is to b	e developed
(e) Su	ch works to be	o located in		of Sec
			! (Legal subdivision)	
(No. N. or S.)		•		
(f) Is	water to be re	eturned to any	stream?(Yes or No)	
/\ 7.4	so, name stre	am and locate	point of return	
(g) If				
		, Sec	, <i>Tp</i> (No. N. or S.)	, R, W.

MUN	VICIPAL OR DOMESTIC SUPPLY—						
	10. (a) To supply the city of	······································					
	(Name of) County, having a	present population of					
and	an estimated population of	in 193					
	(b) If for domestic use state number of families to be suppliedone						
		s 11, 12, 13, and 14 in all cases)					
	11 Festimated sort of managed works	20.00 Location #2.					
	11. Estimated cost of proposed works, \$ 20.00 Location #2. 12. Construction work will begin on or before September 1, 1934 13. Construction work will be completed on or before						
	14. The water will be completely appli	ed to the proposed use on or before October 1, 1934					
	······································	W. W. Allen (Signature of applicant)					
		(Signature of applicant)					
	Signed in the presence of us as witnesses	:					
(1)	E. M. Bogardus (Name)	(Address of witness)					
(2)	A. L. Steiner						
(2)	(Name)	(Address of witness)					
	Remarks:						
		······					
STA	TE OF OREGON, \(\rangle_{\sigma \sigma}\)						
	County of Marion,						
•		ne foregoing application, together with the accompanying					
map							
	In order to retain its priority, this a	pplication must be returned to the State Engineer, with					
corr	ections on or before September 17	, 193. 4					
	WITNESS my hand this 17th do	ay of August , 193.4.					
	-	CHAS. E. STRICKLIN					
		COLUMN TAXABLE					

Application	No. 15469	
Permit No	11361	

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the 13th day of August
	193.4., at 8:00o'clock AM.
	Returned to applicant:
	Corrected application received:
	Approved:
	September 28, 1934
	Recorded in book No of
	Permits on page 11361.
	CHAS, E. STRICKLIN STATE ENGINEER
	Drainage Basin No. 15. Page 359 C.
	Fees Paid \$10.00
STATE OF OREGON,	PERMIT
County of Marion. \\ \}	
The right herein gra and shall not exceed 0.08 stream, or its equivalent in	and the following limitations and conditions: unted is limited to the amount of water which can be applied to beneficial use cubic feet per second measured at the point of diversion from the case of rotation with other water users, from Cunniff Creek and a ceek, 0.01 sec. ft. from each source
	is water is to be applied isdomestic
If for irrigation, thi	s appropriation shall be limited to
and shall be subject to such	h reasonable rotation system as may be ordered by the proper state officer. this permit is
	work shall begin on or before September 28, 1935 and shall
Oct. 1. 1936	ith reasonable diligence and be completed on or before
Complete application	of the water to the proposed use shall be made on or before
•	this 28th day of September , 193 4
	CHAS. E. STRICKLIN STATE ENGINEER