

CERTIFICATE NO. 11331

*APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, W. B. Mack
(Name of applicant)
 of Kernville, (Postoffice), County of Lincoln,
 State of Oregon, do hereby make application for a permit to appropriate the
 following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is an unnamed spring
(Name of stream)
 _____, a tributary of Siletz River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01
 cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 140 ft. S and 700 ft. E from the NW
(N. or S.) (E. or W.)
 corner of Lot 7 (said N.W. corner being where the West line of Section 20 intersects
(Section or subdivision)
the South bank of the Siletz River in the $W\frac{1}{2}$ of the $SW\frac{1}{4}$ in Sec. 20, Tp. 8 S., R. 10 W.W.M.
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
 being within the Lot 7 ($SW\frac{1}{4}$, $SW\frac{1}{4}$) of Sec. 20, Tp. 8 S,
(Give smallest legal subdivision) (N. or S.)
 R. 10 W, W. M., in the county of Lincoln
(E. or W.)

5. The pipe line to be 400
(Main ditch, canal or pipe line) (Miles or feet)
 in length, terminating in the ($NW\frac{1}{4}$, $SW\frac{1}{4}$) Lot 7 of Sec. 20, Tp. 8 S,
(Smallest legal subdivision) (N. or S.)
 R. 10 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom
 _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry,
 rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Wooden storage tank of 238 gallon capacity located
(Timber, concrete, etc., number and size of openings)
about 20 feet below spring.

(c) If water is to be pumped give general description _____
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

11365 (a)

CANAL SYSTEM OR PIPE LINE—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line)
 feet; width on bottom feet; depth of water feet;
 grade feet fall per one thousand feet.

(c) Length of pipe, 400 ft.; size at intake, $1\frac{1}{4}$ in.; size at 35 ft. from intake $1\frac{1}{2}$ in.; size at place of use $\frac{3}{4}$ in.; difference in elevation between intake and place of use, 40 ft. Is grade uniform? yes Estimated capacity, 0.01 sec. ft. more or less.

8. *Location of area to be irrigated, or place of use*

[illegible]

(If more space required, attach separate sheet)

(a) *Character of soil*

(b) *Kind of crops raised*

POWER OR MINING PURPOSES—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) *The nature of the works by means of which the power is to be developed*

(e) Such works to be located in _____ of Sec. _____,
(Legal subdivision)

Tr......, *R.*....., *W. M.*
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? _____
(Yes or No)

(g) If so, name stream and locate point of return

(h) *The use to which power is to be applied is*

(i) *The nature of the mines to be served*

MUNICIPAL OR DOMESTIC SUPPLY—

10. (a) To supply the city of _____
 _____ County, having a present population of _____
 (Name of)
 and an estimated population of _____ in 193_____.

(b) If for domestic use state number of families to be supplied One together with
 some fishermen's cabins and camp ground.
 (Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 250.00

12. Construction work will begin on or before at once

13. Construction work will be completed on or before December 31, 1935

14. The water will be completely applied to the proposed use on or before Dec. 31, 1935

Water from spring is being used now.

W. B. Mack

(Signature of applicant)

Kernville, Oregon

Signed in the presence of us as witnesses:

(1) Ruby Slovarp, Route 5, Box 126 A, Portland, Oregon
 (Name) (Address of witness)

(2) Emil P. Slovarp, 1214 Porter Bldg., Portland, Oregon
 (Name) (Address of witness)

Remarks:

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 193_____.

WITNESS my hand this _____ day of _____, 193_____.

STATE ENGINEER

Application No. 15475

Permit No. 11365

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,

on the 14th day of August

1934, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

September 28, 1934

Recorded in book No. 38 of

Permits on page 11365

Sept CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 18 Page 416 a

Fees Paid \$10.00

STATE OF OREGON, }
County of Marion. } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,
subject to existing rights and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from
an unnamed spring

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per
second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 14, 1934

Actual construction work shall begin on or before September 28, 1935 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
Oct. 1, 1936

Complete application of the water to the proposed use shall be made on or before
Oct. 1, 1937

WITNESS my hand this 28th day of September, 1934.

CHAS. E. STRICKLIN

STATE ENGINEER