ASSIGNED, Sec. Misc. Rec. Vol. 2., Page 912213

## \*APPLICATION FOR A PERMIT

## To Appropriate the Public Waters of the State of Oregon

I, Glenn Fox (Name of applicant)
of 2404 Vancouver Ave., Portland, County of Multnomah
State ofOregon, do hereby make application for a permit to appropriate to
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is Porter Creek  (Name of stream)  , a tributary of Days Creek
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is
4. The point of diversion is located 690 ft. S and 575 ft. W from the 4 corner of Between sections 3 and 2 (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the $\frac{NE_{4}^{1}}{SE_{2}}$ $\frac{SE_{2}}{SE_{2}}$ of Sec. 3 , $Tp$ . 30 S (N. or S.)
R. 4 W Douglas Douglas
5. The ditches to be and miles (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the NE4 NE4 Sec. 10, and NW4NW4 of Sec. 11 , Tp. 30 S
(Smallest legal subdivision)  (N. or S.)  R. 4 W. , W. M., the proposed location being shown throughout on the accompanying map.  (E. or W.)
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam 10 feet, length on top 63 feet, length at bottom
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate 1- 18" x 20"  (Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

<sup>•</sup> A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup> Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem. Oregon.

CANAL.	SYSTEM	OR PIPE	T.INE

eaugaie. Ai nei	idgate: width o	n top (at wate	r une)	feet; width on botton
1.25 housand feet.	feet; depth of	water1	feet; grade	feet fall per or
(b) At		miles f <b>r</b> om hea	dgate: width on top (at wat	er line)
	feet; width o	n bottom	feet; depth of	water fee
rade	feet fa	ll per one thous	and feet.	
(c) Lengt	th of pipe,	ft.;	size at intake.	. in.; size at f
			'	ifference in elevation betwee
				Estimated capacit
			s grade uniforms	Dstimatea capaci
	•			
			place of use	Number Acres
Township	Range	. Section	Forty-acre Tract	To Be Irrigated
30 S	4 W	2	SW SW	8
		3	SE <sub>4</sub> SE <sub>4</sub>	3
		10	$NE_{4}^{1}$ $NE_{4}^{1}$	. 7
		11	NW4NW4	12
	***************************************			
	••••			
	***************************************			
			ļ	
		·		
	•			
	•••••			
		•	required, attach separate sheet)	
(a) Chare	acter of soil	Gravely loan	m and black stickey	
(b) Kind	of crops raised	Alfalfa	and clover	
OWER OR MININ	G PURPOSES—			
9. (a) To	otal amount of	power to be de	eveloped	theoretical horsepowe
(b) Q	uantity of wat	er to be used f	or power	sec. ft.
(c) To	otal fall to be u	tilized	(Head)	
			,	be developed
(e) S2	ich works to be	located in		of Sec.
			! (Legal subdivision)	of Sec
(No. N. or S.)	,	•		
			stream?(Yes or No)	
		, Sec	, <i>Tp</i> (No. N. or S.	, R, W. 1
	he use to which	h power is to b	e applied is	

MUNICIPAL OR DOMESTIC SUPPLY—	
10. (a) To supply the city of	·
	esent population of
and an estimated population of	in 193
(b) If for domestic use state number of	of families to be supplied
(Answer questions 11,	, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$ 50	
	fore already in operation
•	on or before
14. The water will be completely applied	to the proposed use on or before Oct. 1, 1936
	Glenn Fox
	Glenn Fox (Signature of applicant)
	John Sutton, Agent
Signed in the presence of us as witnesses:	
(1) John D. Taylor (Name)	, Days Creek, Ore. (Address of witness)
(2) Ivan Taylor	, II II (Address of witness)
	oject was initiated during the period 1903-1906
	from J. J. Poole et ux to Thomas Dean dated
	•
	title and interest in and to a certain water
	Oregon and of record in the County Clerk's
	se was carried in subsequent deeds until title ne County Clerk's records fails to show this
	originally built was replaced by a concrete dam
•	order that this right may be made a matter of
record and proper priority established.	ss communications to John Sutton who has leased
STATE OF OREGON, the property	and acting for the owner.
County of Marion,	
This is to certify that I have examined the f	foregoing application, together with the accompanying
maps and data, and return the same for	
·····	
<del></del>	
, In order to retain its priority, this appl	ication must be returned to the State Engineer, with
corrections on or before	, 193
WITNESS my hand this day of	
•	
	STATE ENGINEER

Application	No	15576
Permit No.		11465

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. ..... District No.....

	This instrument was first received in the office of the State Engineer at Salem, Oregon,				
	on thellth day ofoctober				
	193.4., at 8:00 o'clock A. M.				
	Returned to applicant:				
	Corrected application received:				
	Approved:				
	December 28, 1934				
	Recorded in book No of				
	Permits on page 11465				
	CHAS. E. STRICKLIN STATE ENGINEER				
	Drainage Basin No. 16 Page 396 G Fees Paid \$9.50				
STATE OF OREGON, County of Marion.	PERMIT				
subject to existing rights a  The right herein gra  and shall not exceed	t I have examined the foregoing application and do hereby grant the same, and the following limitations and conditions:  nted is limited to the amount of water which can be applied to beneficial use  37 cubic feet per second measured at the point of diversion from the				
	case of rotation with other water users, from				
The use to which thi	s water is to be applied isirrigation				
If for irrigation, this	s appropriation shall be limited to1/80th of one cubic foot per nt, for each acre irrigated,				
and shall be subject to such The priority date of	this permit isOctober 11, 1934				
thereafter be prosecuted wi	th reasonable diligence and be completed on or before				
Complete application	of the water to the proposed use shall be made on or before				
Oct. 1, 1937	·				
WITNESS my hand	this28th day ofDecember, 193 4				
Dametta dan arang dan tarah	CHAS. E. STRICKLIN STATE ENGINEER				